

PRODUCT 2021/2022 CATALOGUE



COMPANY PROFILE

Since its inception in 1992, IMEC has been bringing cleaning innovations and solutions to Malaysia, and countries worldwide. As the leading supplier of commercial and industrial cleaning products, IMEC offers the best range of hygiene solutions to various industries including Hospitality, Healthcare, Banking, Retail, Food & Beverage, Manufacturing, and Government agencies for both Domestic and International Market.

In 2011, IMEC marked a new milestone with its headquarter moved to a new bigger premise with full facilities in Malaysia. With a fully equipped Research & Development facility, IMEC strives for continuous product improvement and development to build new market trends and set new standards for excellence in the cleaning industry.

In addition to our strong Sales & Service Network in Malaysia and Asia Pacific Region, IMEC now brings to you a whole new buying experience for Hygiene Solutions via IMEC Online Store!



WE UNDERSTAND YOUR CLEANING NEEDS. "At IMEC, we understand your cleaning needs. Our years of experience and continuous effort in Product Research & Development makes us who we are today. We take the lead in new product innovations and set the trend in cleaning industry. Together, we can achieve a safer & cleaner environment for you and future generations."

Managing Director IMEC HYGIENE SDN BHD

"

VISION

We aspire to be a global leader of commercial and industrial cleaning products and equipments, not only as an OEM and sole distributor of international brands, but also as a manufacturer of our own internationally-recognized brands. In short, we aim to be "THE GLOBAL HYGIENE SOLUTION PROVIDER".

MISSION

- To provide all commercial and industrial hygiene solutions to our customers.
- To always exceed customer expectations.
- To stamp out footprint all over the Asia Pacific region.
- To extend our marketing reach beyond Asia Pacific's borders and makes inroads into other
- To intensity R&D efforts to introduce quality brands of our own.



CUSTOMER SERVICE

IMEC reputation is built on caring customer support. Our team is well trained and always ready to provide prompt service. It is our commitment to offer the greatest convenience to our customer.



CARE FOR THE ENVIRONMENT

We are devoted to care for the environment. Our privacy reflects our desire to formulate high performance cleaning chemicals which are safe to use and care for the future environment.



CONSULTANCY & TRAINING

IMEC provides training programmes in the use of IMEC cleaning chemicals and machineries as a complementary and value added service to our Sales and Marketing efforts.



INNOVATION & RESEARCH

We strive for continuous product improvement and development. We are ahead into research innovative and environmental friendly hygiene products. We serve the best range of products from all over the world.



DISTRIBUTORSHIP

Today, IMEC is the sole distributor for several international renowed brands in the region.




CERTIFIED

As an MS ISO 9001:2015 certified company, IMEC adhere to strict quality control standards.

Most of IMEC detergents are now certified as Halal by JAKIM and safe to use in the kitchen, F&B and food manufactured industries.

*Colours of actual product may slightly differ from colours printed in this catalogue.

The specifications of products are subject to changes without prior notice.



CONTENTS






Page 03 SHOWCASE OF LATEST PRODUCTS



Page 04 SHOWCASE OF LATEST PRODUCTS



Page 07
DETERGENT



Page 19
VACUUM
CLEANER




Page 24
FLOOR CARE MACHINE



Page 43
SPECIALITY
MACHINE



Page 49
WASHROOM
HYGIENE



Page 55
TOOLS & EQUIPMENT



Page DUILDING SERVICES PRODUCT



SHOWCASE OF LATEST PRODUCTS



Sanitizing, disinfecting spray IMEC 556 Guard



Liquid Surface Sanitizer IMEC Sani All



Liquid Surface Sanitizer IMEC Sani Plus



Vege Wash & Kitchen IMEC Sani Green



Food Safe Sanitizer IMEC Sani Guard



Sanitizer, Deodorizer, Cleaner & Insert Repellent IMEC Sani Pine



Back Pack Vacuum Cleaner Battery Operated IMEC V6B



Floor Scrubber, Polisher Machine IMEC i-SCRUB 25



Walk Behind Twin Brush Battery Operated Automatic Scrubber IMEC i-SCRUB 43B



Cordless Floor Scrubber IMEC FIMAP ORBITIZER



Floor Scrubber IMEC FIMAP MAGNA 1300D



High Pressure Jet IMEC HP130



Petrol Driven High Pressure Jet IMEC HP270G



Manual Outdoor Sweeper IMEC MS1100



Walk Behind Sweeper Battery Operated IMEC i-SWEEP 22



Auto Air Freshener Dispenser IMEC 202



Automatic Hand Dryer IMEC IE93



V-Design Air Blade Hand Dryer IMEC IE200




Microfiber Strip Round Mop Head, Loop End IMEC MFS300P



Truck Cleaning Brush c/w Extension IMEC TCB170



Heavy Duty Floor Brush Sweep c/w Handle IMEC FS18



SHOWCASE OF LATEST PRODUCTS



IMEC ST15 Grey



IMEC ST25 Grey

IMEC Step On Hygiene Bin



IMEC ST35 - Green, Red, Yellow, Blue, Grey

IMEC ST55 - Green, Red, Yellow, Blue, Grey

IMEC Step On Hygiene Bin





Professional Spray Gun with Electrostatic Hygienization Technology IMEC FIMAP E-SPRAY




Battery Operated 3 Speed Nano Mist Sprayer, 0.5L with Shoulder Strap i-NANO2+



Battery Operated Super Turbo Fogging Sprayer IMEC EFS7B



Electric Misting Sprayer IMEC EMS18



TINUOUSLY

Water / Cleaning Solution on/off Button **IMEC**

i-SCRUB 43B



Walk Behind Twin Brush Battery Operated Automatic Scrubber

The Most Compact Battery Operated Auto Scrubber Machine!





Control Panel


Battery Indicator



Top handle









Working Width Capacity with 2 Brush



Bumper Wheel Protector
Prevent scratches when
i-SCRUB 43B near to the wall



Recovery



Scrub Deck



Parabolic Squeegee

Surrounding Rubber Bumper

Dual Counter Rotating Brushes





MOBILITY







TECHNICAL SPECIFICATIONS

Product Code	220-i43B	
Voltage	DC 36V, 8 Ah	
Current Rated	10.4Ah	
Brush Motor / Rated Power	200 W	
Brush/Pad Speed	350 RPM	
Pad/Brush Size	8" x 2pcs	
Squeezee/Suction Width	50cm	
Recovery Tank Capacity	6.5L	
Working Width	43 cm	
Working Capacity	1,300 m ² /hr	
Run Time	Up to 70 min	
Charging Time	8 hours	
Product Size	45(L) x 36(W) x 120(H)	
Product Weight	18.5 kg (inc battery)	
Standard Accessories	8" x 2pcs Brush, Charger & Battery	
Noise Level	65-67 dB(A)	

Note:

1. Do not use with acidic and chlorinated detergent

Not recommended to use the machine when battery is below 40%



DRY FASTER

Scrubs & dry at the

same time

Cleaner



Safer

FAST &

EFFORTLESS

INVENTIONS

Surface is clean with

one pass



Greener

STRONG BATTERY

PERFORMANCE

Powered with

Lithium Ion

Battery





raster



LOW NOISE

LEVEL 65-67 dB(A)



CASTOR WHEEL

Easy to store and transport machine to another spot

IDEAL PLACES TO USE











Artificial Intelligent Ride on Scrubber

The complete overview of all the machines is available on a single web portal accessible 24/7 on PCs and tablets



FFM can tell you at once everything you need to know about your machines:



Where they are



Downtimes



What task they are performing



Service history



Who is carrying out the cleaning operation



Issues



Days and times of use

MMg is the most advanced Fimap machine. The most innovative solutions are used to increase productivity and get the best results and benefits in small and medium areas. The new design provides comfort and safety during use and highlights the product quality. MMg is available as scrubbing, scrubbing-sweeping and orbital machine in both basic and Plus versions. Plus versions are equipped with the innovative technology FFM – FIMAP Fleet Management.

What is FFM?

and place.

FFM is the FIMAP service that helps cleaning professionals to improve the performance and increase the productivity of their fleet. It provides a comprehensive overview, updated in real time, of the purchased machines and of the activity being performed and can be displayed on any device: computer, tablet or smart phone. With one click you can know if the operation is being carried out

A better fleet management allows you to:

according to plans, at the scheduled time



Save time and money



Reduce on-site inspections



Reduce costs of



Keep your fleet permanently efficient



Increase productivity



Eliminate downtimes



Plan investment more easily




Use the fleets as planned



Call for service only when necessary



Offer a transparent service at definite costs 6



IMEC DETERGENT CERTIFIED









Optional with Pump System





Our detergent have been formulated to harmonise with your everyday needs.









New Drum (Not recycle)



Level Indicator



Water Resistant **Product Label**



Safety Lock Seal



DOSH Compliants



Quality Control



Batch Number Tag



Emboss IMEC Logo on back drum





















HALA



IMEC 501 IMEC 523 IMEC 502 IMEC 524 IMEC 525 F/MS **IMEC 504 IMEC 505 IMEC 527** IMEC 506 **IMEC 528** IMEC 530 **IMEC 507 IMEC 509 IMEC 534 IMEC 510 IMEC 535 IMEC 511 IMEC 543** IMEC 514 **IMEC 544 IMEC 515 IMEC 548 IMEC 516**





Code Packing 100-501-C 2x10L/Ctn

- Fast acting solvent based stripper
- Use on all floor surfaces except linoleum and rubber tiles
- High performance
- Used for removing old wax or water emulsion polish except permanent wax and epoxy coating
- Best for removing thick polish at edges
- Dilution at 1:3 (mopping) and neat (old wax) built-up



Code 100-502-C Packing 2×10L/Ctn

- Synthetic stripper
- · Use on all floor surfaces
- · Used for removing old wax or water emulsion polish
- · Require rinsing prior application of floor polish
- Dilution at 1:10 (scrubbing)



Using IMEC P10N Pump prevents leakage and wastage during dispensing detergent



SUFFING SOLUTION



IMEC 506 Meta Seal

Code Packing 100-506 5 U.S Gallon / Pail

- Water based acrylic emulsion sealer
- Best for porous and badly worn-out floorings
- Good heel mark resistance to hard surface
- Apply neat for 2-3 coats
- Drying time approx. 30 mins per coat
- Use on all type of flooring
 Apply IMEC 504 Poly Lite or IMEC 505 Thermo Meta for "wet look" result
- Coverage of 6,000 sq.ft. per 5 U.S.Gal (1 coat)

Code 100-507

Packing 5 U.S Gallon / Pail

- Full acrylic emulsion sealer
- Recommended for corridor, under rain and shine condition
- Suitable for surfaces easily affected by dampness
- Provide abrasion resistance in heavy traffic area
- Resists grease, oil and soil penetration
- Use on cement/concrete flooring/stone wall
- Apply neat for 2-3 coats
- Drying time approx. 30 mins per coat
- Coverage of 6,000 sq.ft. per 5 U.S.Gal (1 coat)

Code 100-509-5 Packing 5 L / Bottle

- Acrylic spray buff maintainer
- Ideal to be used with Ultra High Speed Burnisher
- Provides a durable and durable film with low dirt absorption
- Use on all coated flooring
- Gives minimal smear when burnished
- Coverage of 50,000 sq.ft. per 5L (spray buffing)



Code 5 U.S Gallon / Pail 100-504

- High solids metal-interlocked emulsion polish
- Use on vinyl, thermoplastic, asphalt and sealed porous floor
- Gives high degree of glass levelling and good heel mark resistance
- Apply neat for 2-3 coats
- Drying time approx. 30 mins per coat
- Coverage of 7,500 sq.ft. per 5 U.S.Gal (1 coat)



Code 100-505 Packing 5 U.S Gallon / Pall

- Thermoplastic metal-interlocked emulsion polish
- Produce an excellent hard-wearing, slip resistant, protective film, heel mark resistance
- Use on vinyl, thermoplastic, asphalt and sealed porous floor
- Apply neat for 2-3 coats
- Drying time approx. 30 mins per coat
- Coverage of 7,500 sq.ft. per 5 U.S.Gal (1 coat)







FLOOR SEALER



IMEC 511 Kleen All

Code Packing 100-511-C 2×10L/Ctn

- Highly concentrated multi-purpose neutral cleaner
- · Safe to use on all surfaces
- Highly efficient for general cleaning maintenance
- Environmental friendly and no rinsing is required
- Dilution at 1:100 (spraying), 1:250 (mopping)



IMEC 551 MP7

Code Packing 100-551-C 2x10L/Ctn

- · Highly efficient multi-purpose hard surface neutral cleaner
- · Suitable for general cleaning maintenance
- No rinsing is required
- Use on all surfaces
- · Dilution at 1:50 (spraying), 1:200 (mopping)



HARD SURFACE CLEANER



Code Packing 100-510-C 2 x 10 L / Ctn

- · Biodegradable alkaline general purpose cleaner
- · Removes dirt, dust, oil and grease
- · For all hard floor surfaces except marble, granite and wax coating
- User friendly
- Requires rinsing after application
- . Dilution at 1:5 (spraying), 1:250 (mopping)



Code Packing 100-599-C 2 x 10 L / Ctn

- Rinse free pleasant odour detergent
- Cuts through stubborn dirt without much effort
 Versatile for most cleaning task
- Dilution at 1:3 (spraying), 1:250 (mopping)



Packing Code 100-599GP-C 2 x 10 L / Ctn

- Non caustic cleaner
- · Rinse free cleaner without fragrant.
- Suitable to use with auto scrubber machine
- Dilution at 1:3 (spraying), 1:250 (mopping)



Code Packing 100-516-C 2x10L/Ctn

- · Highly concentrated acidic cement remover
- · For quick removal of unwanted cement on mosaic and quarry tiles
- · Rinse thoroughly with water
- · Handle with care, do not mix with chlorinated chemicals
- Dilution at 1:5 (spraying)



IMEC 518 Strate Kleen

Code Packing 100-518-C 2×10L/Ctn

- · Heavy duty acid stain remover
- · Highly effective descaler, rust and fungus removal
- Suitable for mosaic, tiles and bricks
- · Handle with care, do not mix with chlorinated chemicals
- Rinse throughly with water

· Dilution at 1:3 (spraying and mopping)





STONE CARE SYSTEM



IMEC 514 Industrial Degrease

Code Packing 100-514-C 2×10L/Ctn

- Water based biodegradable degreaser
- Safe to use in F&B area
- · Contains rust inhibitor
- Highly recommended for removing vegetable and mineral oil
- To be use in food processing plant, municipalities, printing and marine industry
- Dilution at 1:30 (normal duty), 1:5 (heavy duty)



Code Packing 130-1400-5 5 kg / Pack

- · Revitalised dull and lifeless floor to a sparkling finish
- Use IMEC 509 as daily maintenance to enhance glossy surface
- . Dilution at 1 scoop: 1 scoop of water per 10 sq.ft. (scrubbing)



IMEC 584 DC10

Code Packing 100-584-C 2×10L/Ctn

- Solvent based ultra duty degreaser
- Penetrate and dissolve even the heaviest grease accumulations
- Use in shipping and bus terminal floors, machine and automative industry, engine room and liquid food cargo tanks
- Dilution at 1:50 (normal duty), 1:10 (heavy duty), 1:20 (auto scrubber)



Diamond Coat

Code Packing 130-1460 130-1460-C 1 kg/Bottle 6 x 1 kg/Ctn

- · Works as crystal shield for all kind of flooring to Restore,
- Protect and Maintain
- Protects against dust, acid/alkaline, washing, scratch and stain. and excellent self-cleaning performance
- Applicable for all kinds of polished tiles, granite, quartz stones, microcrystal stones and ceramic tiles, marble, and artificial marble
- Dilution at 5ml per 2 sq.ft.





Restoration for:

- Granite
- Marble & Terrazo
- Limestone flooring
- Glaze tile
- Mosaic tile
- · Any other hard natural stone flooring

After

Do you know that IMEC Twister Pad - 66% floor pad use savings - 100% chemical free cleaning - More effective than antibacterial detergent (highly recommended

for hygiene sensitive environment)

Before



Advantages

- Clean & shine floor everyday
- Greatly reduce total cleaning cost
- Environmental friendly cleaning method Removes up to 80% more bacteria than conventional cleaning method
- Simple implementation no changes in
- the machines and procedures used Only water is required for daily cleaning

Where to use?

- Natural Stone
- Terrazzo
 Vinyl
- · Wood
- Linoleum
- Ceramic Slabs
 Rubber
 Polished Concrete



IMEC Twister Diamond Pad

Model	Code	Description	Size
IMEC TWISTER 13G	333-1314	Daily Cleaning / Polishing Green Pad	13"
IMEC TWISTER 16R	333-1611	Deep Cleaning Red Pad	16"
IMEC TWISTER 16W	333-1612	Upgrading Step 1 White Pad	16"
IMEC TWISTER 16Y	333-1613	Upgrading Step 2 Yellow Pad	16"
IMEC TWISTER 16G	333-1614	Daily Cleaning / Polishing Green Pad	16"
IMEC TWISTER 20G	333-2014	Daily Cleaning / Polishing Green Pad	20

N Series

Model	Code	P
IMEC Disc 50K	130-1600	Ü
IMEC Disc 150K	130-1601	Ĥ
IMEC Disc 300K	130-1603	B
IMEC Disc 500K	OOK 130-1605	
IMEC Disc 800K	Disc 800K 130-1608	
IMEC Disc 1500K	130-1615	
IMEC Disc 2000K	130-1620	
IMEC Disc 3000K	130-1630	

K Series

IMEC Disc

Code	Model	Code
0-1600	IMEC Disc 500N	130-1505
0-1601	IMEC Disc 800N	130-1508
0-1603	IMEC Disc 1500N	130-1515
0-1605		









Packing Code 100-515-C 2x10L/Ctn

- · Double solvent glass cleaner
- · Fast cleaning for windows, mirrors, glass desktops, chrome, car windows and other reflective surfaces
- Suitable for maintenance cleaning
- Dilution at 1:10 (spray cleaning)

IMEC 530 Car Wash

Packing Code 100-530-C 2×10L/Ctn

- · An economical high foaming vehicle detergent
- Removes grease and dust from vehicles
- Maintain the luster and gloss of the paintwork
- Dilution at 1:100 (spraying/wipping)
- Safe to use on all type of vehicles

Code Packing 100-535-1 1L/Bottle 100-535-1-C 12 x 1 Lit / Ctn

- · Semi-creamy emulsion furniture polish
- · Safe to use on leather, wood, PVC and vinyl surface
- Produces sparkling shine on all sealed and synthetic surface
- Clean, remove dust and polish in one application
- Apply directly onto surfaces
- No dilution is required (neat)











IMEC 580 Liquid Chlorine

Code Packing 20L/Drum 100-580-20

- · Powerful Chlorine based bleach for disinfecting and removing stains
- · Suitable to use on floors, toilet bowl, bathroom tiles, kitchen areas and drains
- Also can be used for cleaning and whitening fabrics

Code Packing 100-581-5 5 L / Bottle 100-581-C 2×10L/Ctn

- Repel insects, clean and sanitize in one application
- · General spray on the table or other surfaces
- No dilution is required (neat)
- Leave fresh lemongrass fragrance

IMEC 569 Bloc Out

Code Packing 100-569-1 1 L / Bottle 100-569-1-C 12×1L/Ctn

- Acidic drain opener
- · Effective for dissolving grease, organic matters, hairs and sanitary napkins
- Do not allow standing on porcelain surfaces
- · Handle with care, do not mix with chlorinated chemicals
- No dilution is required (neat)









Before After Wooden Surface







Remove Chewing Gum

Code Packing 400 ml / Can 100-561 12 Cans / Ctn

- Remove grease and tarnish on all metal surfaces
- Clean, protect and give a brightened and shiny appearance upon polishing
- Impart deep luster and protect original finish
- NSF certified and non-CFC
- · Safe on stainless steel, architectural, aluminium, leather, chrome, wooden, metal & PVC.

IMEC 573 Lift Off

Code Packing 400 ml / Can 100-573 12 Cans / Ctn

- · Solvent based aerosol gum and adhesive remover
- · Non-toxic, non-polluting and non-ozone depleting
- · For carpet, upholstery and all hard surfaces
- · Will not harm or stain surfaces except ABS plastic
- Suitable for spot cleaning













Code 100-522-C

Packing 2×10L/Ctn

- · Highly concentrated dry foam carpet shampoo
- Use with rotary brush machine and bonnet cleaning
- For carpet, upholstery and rug cleaning
- Dilution at 1:12 (spraying)



Code 100-534-C Packing 2x10L/Ctn

- Fast action solvent based pretreatment
- · For removal of common oil, water soluble stain. dirt and greasy spillages
- Apply directly on dirty carpet before shampooing or extraction
- No dilution is required (neat)



Code 100-585SA-5 Packing 5L/Bottle

- Kill viruses and bacteria
- · Disinfect hands without soap and water
- · Ideal for use in hospital, schools, day care center, shopping complex, and all public area

IMEC 523 Lo Foam

Code 100-523-C

Packing 2x10L/Ctn

- · Low foaming carpet shampoo with mixture of water softener
- Use with extraction system
- · Also suitable for bonnet cleaning of heavily soiled traffic area
- · Anti-redeposition properties which allows easy vacuum extraction
- Dilution at 1:15 (extraction)

Code 100-524-5 Packing 5 L / Bottle

- Foam controller
- Eliminate excessive foaming in extractor machine, wet pick up vacuum tank and auto scrubber recovery tank
 • Pour 2 - 3 caps into the recovery tank
- No dilution is required (neat)










Code 100-585SP-5 Packing 5L/Bottle

- Kill viruses and bacteria
- Disinfect hands without soap and water
- Ideal for use in hospital, schools, day care center, shopping complex, and all public area





DISINFECTANT



556[©]





DISINFECTANI

Code 100-556-C Packing 2x10L/Ctn

- Approved by European Standard EN 14476
- · One step sanitizer, deodorizer and cleaner
- Combination of surfactants and quat disinfectant Use in washroom, shower room, countertop, dining
- table, cabinet, and hospital ward
- · For sanitation of floors, walls and fixtures and fittings
- Leave fresh lemon fragrance
- Dilution at 1:60 (mopping), 1:30 (sanitizing)



Code 100-517-C Packing 2×10L/Ctn

- Concentrated acid toilet cleaner
- · For periodic deep cleaning of toilet bowl and urinal bowl
- Remove scale and disinfect.
- Dilution at 1:5 (spraying)
- · Rinse throughly with water



543 Laundry

Code 100-543-R

Packing 20 L / Pail

- All purpose laundry detergent
- · Suitable for machine washing and manual handwashing
- Safe to use on all fabrics
- · Efficiently removes fabric soil, common dirt and stains

Code 100-556-G5 Packing 5 L / Bottle

- Approved by European Standard EN 14476
- A sanitizer for fogging spray, wiping against bacterias, germs and viruses.
- · Ideal for disinfecting floors, tunnels spray, walls, door knob/handles, hard surfaces in hospitals, homes, hotels, train stations, schools, airports, shopping malls and public areas.
- Dilution at 1:30 (infected), 1:60 (preventive) (fogging spray/mopping/wiping)



Code 100-591-C Packing 2×10L/Ctn

- Urine odour eliminator
- · Eliminate surface odour by organic waste such as urine or spoiled food
- Not only surpress the smell of organic waste but neutralize malodours
- Also recommended to use in kitchen. garbage area and carpet surface
- No dilution is required (neat).
- Dilution at 1:10 (mopping)



Code 100-544-R Packing 20 L / Pail

- · Give softness and freshness to all types of fabrics
- Makes ironing easier
- · Eliminates the static
- Suitable for commercial and household use

IMEC 527 Oruo Pine

Code 100-527-C Packing 2×10L/Ctn

- General purpose pine disinfectant.
- Available in liquid (IMEC 527) and gel (IMEC 528) form
- Clean, disinfect and deodorize in one application
- Use in washroom, showers, drains and dustbins
- Dilution at 1:20 (disinfectant), 1: 200 (mopping)



Code

Packing

100-520-5 5 kg / Tin (±115pcs) 100-520-20 20 kg / Drum (±460pcs)

Crystallized parablock

- · A powerful deodorant containing 100% of paradichlorobenzene with pleasant fragrance
- Can be placed directly into urinals



Code 100-553-R Packing 20 L / Pail

- All purpose oxygen bleach liquid
- Safe on white and coloured fabrics
- Add 50ml to liquid detergent
- Can be used for soaking/washing.



IMEC 525MS Medic Soap

Code Packing 100-525MS-5 5 L / Bottle 100-525MS-01-C 6 x 500 ml / Ctn

- Antibacterial liquid soap
- Excellent antibacterial effective up to 4 hours after usage
- Able to kill 99.9% germs
- Hands are protected from the growth of unwanted germs like Staphylococcus aureus and Escherichia coli
- Ideal to use in hospital, nursing home, child care centre, food processing plant and fast food chain



IMEC 526W Hair & Body Shampoo

Code Packing 100-526W-C 2 x 10 L / Ctn

- 2 in 1 perfumed shampoo
- · Safe to use on hair and body
- · Enriched with emollients and conditioner



IMEC 525 Foam Soap

 Code
 Packing

 100-525F-C
 2 x 10 L / Ctn

- Environmental friendly compared to using liquid soap
- · Conditioner hand soap with a pleasant fragrance
- · Reduces soap and water consumption
- Provide instant lather which promotes through washing
- Gentle on hands and easy to rinse off
- Ideal choice for hospitality, healthcare, F&B and education centers



MEC 525P Hand Soap

Code Packing 100-525P-C 2 x 10 L / Drum

2 IMEC 525Y Hand Soap

Code Packing 100-525Y-C 2 x 10 L / Ctn

IMEC 525G Hand Soap

Code 100-525G-C Packing 2 x 10 L / Ctn



- Pleasant fragrance liquid hand soap
- Enriched with skin conditioner
- Works safely to clean and protect hands







 Code
 Packing

 100-5855-5
 5 L / Bottle

 100-5855-01-C
 6 x 500 ml / Ctn

 100-5855-00
 6 x 600 ml / Ctn

- Kill viruses and bacteria up to 99.9%
- Disinfect hands without soap and water
- Ideal to use in hospitals, schools, day care centers, shopping complex and all public area
- Protects from growth of unwanted germs



IMEC 585S Hand Sanitizer EXTRA

Code Packing 100-585S-Extra-C 6x 500 ml / Ctn 100-585S-Extra-5 5L / Bottle

- 75% alcohol content
- Kill viruses and bacteria up to 99.9%
- Disinfect hands without soap and water
- Protects from growth of unwanted germs
- Hospital Grade
- Ideal to use in hospitals, schools, day care centers, shopping complex and all public area



IMEC 585SC Spray Clean Sanitizer

 Code
 Packing

 100-585SC-5
 5 L / Bottle

 100-585SC-75-01
 6 x 500 ml / Ctn

 100-585SC-75-5
 5 L / Bottle

- 70% alcohol content
- Effective solution for easy and quick sanitising of toilet seat
- Effective against all harmful bacteria commonly found on and around toilet seat fixtures, surfaces and fittings
- No direct contact automatic dispenser prevents cross-contamination
- · Safe for skin contact & no harmful residue
- Fast drying for immediate use
- Pleasant fragrance refill



STORM WORK OF THE PROPERTY OF







(0.5±):6.0

AIR FRESHENER

IMEC 519AK Aire Fresh

Code 100-519AK-C Packing 2×10 L/Ctn

IMEC 519B Aire Fresh

Code 100-519B-C Packing 2 x 10 L / Ctn

IMEC 519BR Aire Fresh

Code 100-519BR-C Packing 2 x 10 L / Ctn









contamination to your hands



Code 100-519D-C

Packing 2 x 10 L / Ctn

Code 'Ctn 100-519RS-5 100-519RS-C Packing 5L/Bottle 2×10L/Ctn



Always wear protective gloves during handling of detergent to avoid

- 3 in 1 perfumed air freshener
- · Clean, disinfect and deodorize
- Leave the area smelling fresh and clean
- Dilution at 1:15 (mopping), 1:3 (spraying)





IMEC P1

Packing

100-P1 Mobile Pump for 1L & 5L bottle 100-P10N Mobile Pump for 10 L drum

- Easy to use with accurate dilution
- Hassle-free

Code

- No wastage of overpour and no spillage
- Ensures workers' safety
- Approximately 30ml per pump



IMEC XP Detergent Fill Station

Code 120-8168 Packing 1 unit/ Box

- · Central control for chemical dilution and consumption
- Chemicals can be used with accurate dilution which will be set accordingly during installation
- No residue left on the surface giving an effective cleaning result
- Not hazardous to workers with no splashing of chemicals



IMEC 548 Dishwash

Packing 100-548-5 5 L / Bottle 100-548-C 2 x 10L/Ctn

- · Highly concentrated hand dishwashing liquid
- · Contain neutral biodegradable ingredient
- Use on dishes, cutlery, glassware and household utensils
- Rapidly removes oil
- Mild and gentle on skin
- Dilution at 1: 100



IMEC 557 Mac Kleen

Code Packing 100-557-C 2×10L/Ctn

- Biodegradable concentrated detergent for dishwashing machine
- · Contain metasilicate to protect chinaware and metalware
- Dispense through IMEC PRO D.5578 Dispenser
- . Dilution at 1:333 (spraying)



Packing 100-575-C 2x10L/Ctn

- · High performance alkaline oven cleaner
- · For removing carbonized fats, oils and grease
- · Ideal for cleaning grill drip pan, porcelain and glass
- · Safe to use on iron
- · Contain corrosion inhibitor to protect metalware
- Apply to warm oven
- No dilution is required (neat)



IMEC 558 Rinse Aid

Code Packing 100-558-C 2×10L/Ctn

- · Rinsing detergent for dishwashing machine
- Will not dull surface, leaving a clear, sterile surface without spotting or streaking
- · Reduce drying time
- Dispense through IMEC PRO D.5578 Dispenser
- Dilution at 1:1667 (spraying)









Code Packing 100-578-2 2 kg / Pack

- One step non-corrosive sanitizer, deodorizer and cleaner for F&B equipments
- Safe to use on all cleaning surfaces
- · Food grade standard
- Excellent for walk-in coolers, refrigerators, storage containers and all area within kitchen where cleaning and sanitizing is important
- Dilution at 1 scoop: 20 L




Code Packing 100-579-C 2×10L/Ctn

- Non-caustic biological grease trap maintainer
 Dispense through IMEC PRO D.579 Dispenser
- Composed of a synergistic blend of bacteria strains and multiple enzyme system which will break down grease, fats and other complex organic material naturally
- Kept free flowing and odour-free non-caustic biological grease trap maintainer









18cm

IMEC PRO D.5578 Automatic Pump Digital

Code Packaging 120-1802 1 Unit / Box

- Digital time programming for Mac Kleen and rinse aid dosing
- Spray accurate dosage for mixing to ensure best cleaning performance

IMEC PRO D.579 Timer Control for Chemical

Code 120-1852 Packaging 1 Unit / Box

- · Digital time programming for grease trap maintainer dosing
- Prevent grease build up from blocking drainage system
- . The ultimate solution to built-up Grease Management



IMEC 585SA Sani All

100-585SA-5

Packing 5L/Bottle

- Kill viruses and bacteria
- Disinfect hands without soap and water
- · Ideal for use in hospital, schools, day care center, shopping complex, and all public area



IMEC 585SP Sani Plus

100-585SP-5

Packing 5L/Bottle

- Kill viruses and bacteria
- Disinfect hands without soap and water
- · Ideal for use in hospital, schools, day care center, shopping complex, and all public area







DISINFECTANT



IMEC 556 SANI Pine™

100-556SP-C

2x10L/Ctn

- · Sanitizer, with a pine scent and it's extremely versatile 6 in 1 Cleaner
- Effective as a sanitizer, cleaner, disinfectant, deodorizer, degreaser & insect repellent
- · Control of harmful microbes in all areas and on all surfaces such as drains, floors, walls and grouting
- . It will cleans well and kills bacteria readily



IMEC 556 SANI Green

Code 100-588SG-5 Packing 5L / Bottle

- Removeing pesticides from fruit and vegetables
- Used a dishwashing liquid, hard surface
- cleaner and degreser in the kitchen
 Easy to rinse and leaves no residue making it absolutely safe and non-toxic

 No added chlorine, bleach, alcohol,
- artificial and animal based ingredient
- Make from natural ingredients that are safe for direct food contact



IMEC 556 SANI Guard

Code 100-556SG-5

Packing 5L / Bottle

- Rinse-free quat sanitizer designed for use on food contact surfaces
- Safe to use on all surfaces, kitchen utensils and equipments
 • Non-toxic and alcohol free sanitizer
- Suitable to use in food processing plant, kitchen and dining area



Strong & robust on/off switch



Rear wheel allows easy transportation without creating any hassle for user



Adjustable telescopic wand



Ergonomic handle for easy transportation and cable restoration



Standard accessories provided



HVB 10 (210-010) Double Layer Paper Bag (10 pcs / pack)



HEPA HVB-H 210-019 Vacuum Filter Bag (10 pcs / pack)



CLOTH FILTER BAG 210-310 (1 pc)

IMEC SV 292i

Dry Vacuum Cleaner Code 210-292

Technical Specification

Motor
Tank Capacity
Voltage
Mode of Cooling
Air Flow Rate
Vacuum Suction
Noise Level
Dimension (cm)
Weight

Cable Length

1000 W (Single-Stage) 10 L 220 - 240 V

Circulating Air Cooling

48 L/s 210 m/Bar 60 dB(A)

 $39 (L) \times 40 (W) \times 38 (H)$ 7.1 kg

- Robust power switch & side bucket clip
- · Big rear wheels for better maneuverability
- Built-in rear mounted parking tool to secure the accessories
- · Low noise level, handy size
- · Ideal for households, factories, office buildings, etc.

5 m



IMEC iBlack 295i

Super Power Dry Vacuum Cleaner Code 210-295

Technical Specification

Motor
Tank Capacity
Voltage
Mode of Cooling
Air Flow Rate
Vacuum Suction
Noise Level
Dimension (cm)
Weight
Cable Length

1100 W (Double-Stage) 10 L

220 - 240 V Circulating Air Cooling

52 L/s

230 m/Bar 56 dB(A)

39 (L) x 40 (W) x 38 (H) 7.6 kg

6 m

- Robust power switch & side bucket clip
- Big rear wheels for better maneuverability
- · Built-in rear mounted parking tool to secure the accessories
- Low noise level, handy size
- Ideal for households, factories, office buildings, etc.



Do you know that by using HEPA Filter bag, our vacuum cleaner can filter 99,7% airborne pathogens?





IMEC iBlack V6B

Backpack Vacuum Cleaner Battery Operated 220-V6B-00 Code

Technical Specification

Voltage Motor Tank Capacity Mode of Cooling Air Flow Rate Noise Level Product Size (cm) Weight

350 W 5 L Air Cooling 50 L/s <45 dB 25 (L) x 25 (W) x 59 (H)

More efficient compared to corded vacuum. It's flexibility and convinience

4 stages of filtration which traps 99.97% of dirt, dust and pollen down to

· Well-padded, adjustable harness and lightweight design to avoid

movement to clean into places where corded vacuums are inconvinient to use Reduce the cleaning time and energy, clean larger area 3 times more than

· Freedom movement without hassle of cable

conventional upright vacuuming methods



FILTRATION TECHNOLOGY

Fit up to 40" waist strap and buckle lock



Dual side pocket for user



Convinience movement even at hard to reach area





IMEC iBlack V3

discomfort and pain

0.3 microns with HEPA Low Noise Level

Backpack Vacuum Cleaner Code 220-V3



Motor Tank Capacity Voltage Mode of Cooling Air Flow Rate Vacuum Suction Noise Level Product Size (cm) Weight

Cable Length

1000 W 220 - 240 V Circulating air cooling

42 L/s 180 M/Bar 56 dB(A)

27 (L) x 20 (W) x 43 (H) 5.1 kg

Versatile and light weight

· Can be carried on the back with ease and comfort

17 m

· Ergonomie design that reduces strain on the back

. Designed for those who want freedom of movement during vacuuming

· Suitable to use at train, airplane, cinema and lecture hall







IMEC iBlack V3 PLUS

Backpack Vacuum Cleaner 220-V3-Plus Code

Technical Specification

Voltage Motor Tank Capacity Mode of Cooling Air Flow Rate Vacuum Suction Noise Level Product size (cm) Weight Cable Length

220 - 240 V 1000 W

Circulating air cooling 50 L/Sec 215 M/Bar

82.9 dB(A) 33 (L) x 30 (W) x 53 (H)

6.4 kg 18 m

- Suitable for narrow spaces like trains, air places, cinema and lecture hall
- · Perfect design for operator comfort
- Strong suction
- . Designed for those who want freedom of movement during vacuuming



Circulating air



Comfortable chest and waist lock



IMEC GP 27

HEPA Dry Vacuum Cleaner Code 210-127

Technical Specification

Motor
Tank Capacity
Voltage
Mode of Cooling
Air Flow Rate
Vacuum Suction
Noise Level
Dimension (cm)
Weight
Cable Length

1300 W
27 L
220 - 240 V
Through-Flow Motor
55 L/s
2870 mmHxO
74 dB(A)
35 (L) x 35 (W) x 61 (H)
9 kg
7 m

- Powerful 1300 watt super high-speed vacuum for deep cleaning
- Large capacity for prolonged use and efficiency
- 4 stage of filteration with 2 stage of H14 HEPA filter
- · Secondary HEPA filter prevents escape of dust from carbon brushes
- . Highly recommended for hospital & clean room
- Filters up to 0.005% of 0.1 micron particles



Built-in accessories holde





Microfiber Bag (10pcs / pack) 210-127-4



IMEC SW 550i

Industrial Wet and Dry Vacuum Cleaner Code 210-0550-00

Technical Specification

Motor
Tank Capacity
Voltage
Mode of Cooling
Air Flow Rate
Vacuum Suction
Noise Level
Dimension(cm)
Weight
Cable Length

1100 W 30L / 40 L 220 - 240 V Circulating Air Cooling 53 L/s 230 m/Bar 78 dB(A) 37(L) x 38(W) x 72(H) 9 kg 7 m

- Single motor wet and dry vacuum cleaner
- PP tank
- Lightweight for higher productivity and suitable to use in congested areas such as kitchen, restaurants, schools, etc.

Comes with standard accessories



Dry Pick Up



Wet Pick Up



Full Accessories

IMEC SWD 1150i


Stainless Steel Industrial Wet and Dry Vacuum Cleaner Code 210-1150

Technical Specification

Motor
Tank Capacity
Voltage
Mode of Cooling
Air Flow Rate
Vacuum Suction
Noise Level
Dimension(cm)
Weight
Cable Length

2 x 1100W 60 L / 75 L 220 - 240 V Circulating Air Cooling 106 L/s 250 m/Bar 78 dB(A)

49(L) x 50(W) x 93(H) 23 kg 8 m



- Large tank capacity also helps to cut down waste disposal time
- Built-in discharge hose provides hassle free cleaning and disposing dirty water
- Stainless steel body suitable for heat sensitive area
- Comes with standard accessories





Dry Pick Up

Wet Pick Up

IMEC SWD 1500i

Industrial Wet and Dry Vacuum Cleaner Code 210-1500

Technical Specification

Motor
Tank Capacity
Voltage
Mode of Cooling
Air Flow Rate
Vacuum Suction
Noise Level
Dimension(cm)
Weight
Cable Length

2×1100 W 70 L / 90 L 220 - 240 V Circulating Air Cooling 106 L/s 250 m/Bar 78 dB(A) 48(L) × 51(W) × 95(H)

Weight 25 kg
Cable Length 8 m


• Semi transparent PP tank that break-resistant and visible;

- waste water in tank can be viewed
 Two motors provide strong suction, ensure efficient water pick up and gives streak free, excellent drying result
- Built-in discharge hose, provides hassle free cleaning and disposing dirty water
- Large tank capacity significantly cut down waste disposal time
- · Comes with standard accessories





Full Accessories











Hard Surface Flooring



Toilet Cubicle

IMEC P130

10" Single Disc Scrubber Machine 220-P130 Code

250 W

10" 14.8 kg

10 m

220 - 240 V

Planetary Gear

150 rpm

Technical Specification

Motor Voltage Speed Pad/Brush Size Weight Cable Length Transmission

Standard Accessories Brush & Pad Holder

- · Ideal for staircase cleaning, washroom, kitchen & other hard-to-reach spaces
- Lightweight mobile floor scrubber
- Easy to operate with no experience needed
- · Effective cleaning with agitation system
- Low noise level
- · Ideal for tight spaces and small areas that other scrubbers cannot do



Adjustable Height Handle Bar



Heavy duty bumper & powerful motor



Twist to adjust water level

IMEC P160

16" Single Disc Floor Scrubber Machine 220-P160 Code

Technical Specification

Voltage Speed Pad/Brush Size Weight Cable Length Transmission



- · Easy to operate and maintain
- Comes with protective bumper





Well balanced machine and good stability



12L solution tank to dispense cleaning solution

IMEC P190

17" Single Disc Floor Scrubber Machine 220-P190 Code

Technical Specification

1100 W Motor 220 - 240 V Voltage Speed 160 rpm Pad/Brush Size 17 53 kg Weight Cable Length 11 m Metal Gear Transmission

Standard Accessories Solution Tank Pad Holder Scrubbing Brush



· Perfect for cleaning hard floor and carpet bonnet cleaning

- Ideal for a variety of floor types such as concrete, coated floors, stone, ceramic, tiles, PVC and linoleum, parquet, wood and carpet
- 12L solution tank which can dispense cleaning solution on the floor for effective cleaning
- Powerful 1100W heavy duty motor
- Ergonomic handle design with adjustable handle based on user preference
- Fully surrounded and non-marking rubber bumper protects the machine from damage
- Suitable to use 16" or 17" floor cleaning pad or brush diameter
- User-friendly manual floor scrubber designed to deliver effective cleaning task
- Well balance machine and provide good stability to the user
- · Highly durable chrome metal polished chassis





IMEC iBlack 480

HD Single Disc Floor Scrubber Machine 220-P480

Technical Specification

Motor Voltage Speed Pad/Brush Size Weight Cable Length Transmission

2000 W 220 - 240 V 175 rpm 55 kg 12 m

Standard Accessories Pad Holder Solution Tank

Optional Accessories:







(220 - 480)

(220-167)

Orange HD Oil Brush Scrubbing Brush 20kg S/Steel Pad Holder (220 - 489)

- Heavy weight for incredible cleaning outcome
- Ideal for floor scrubbing, stripping and crystalization system

Planetary Gear

- Heavy weight provides extra stability & productivity
- Rugged, chrome body
- Fully adjustable handle
- 20kg Pad Holder is highly recommended for stone crystallization system

IMEC i-Scrub 25

Floor & Wall Scrubber with Small Orbital Motion 220-i25





180 W 220 - 240 V 2800 rpm 25 cm (L) x 13 cm (W) 13 kg Motor Direct (Orbital)

Standard Accessories White & Green Scrubbing Pad











Stair Raiser

Stair Tread

- Small orbital machine with high speed of rotation for excellent gloss result
- Easy to operate with no experience needed
- Ergonomic & maneuverable handle. Make every narrow space scrubbing possible
- Low noise operation
- Ideal for staircase, washroom, kitchen, wall, table top cleaning

IMEC FIMAP ORBITIZER

Cordless Floor Scrubber 280-109940 Code

Technical Specification

Working Width Motor Oscillations Pressure on the orbital head Solution Tank **Power Supply** Run Time Sound Level (dB) Product Dimension (cm)

34 cm 300 W 3,800 opm 7 kg 36 V Up to 1 Hour

33 (W) x 129 (L) x

<70

32 (H)

Standard Accessories IMEC Pad (Black, Red, White)

Optional Accessories ZL Long Range Backpack





2 Front Nozzles





Warehouse



- Ideal to use at all area with just one cordless machine, floor treatments in most inaccessible spaces can be done
- Orbital technology The cleaning result is uniform over the entire surface
- 3,800 oscillations/minute Cleaning head with rotaring micro-movements The low cleaning head allows to clean areas that other machines can't reach
- Perfect for edges Narrow spaces and hard to reach area
- Suitable to work on floors like ceramic, vinyl, concrete, marble, granite and resin flooring
- 2 front nozzles to spray out the detergent Release 60 microns that suitable to spray on the floor and any application

FLOOR SCRUBBER



OTORY ORBIT

Consume lesser

electricity

Orbital

holder

movement

holds the water

inside the pad

IMEC P430 RO

17" Single Disc Scrubber with Rotary Orbital Motion

220-108150 Code

Technical Specification

Motor 1.100W Voltage 220-240V 50 - 60Hz Frequency

Speed 90rpm / 1,400 obm (orbits per min) Pad Holder Size

Noise Level <60dB(A) Solution Tank Capacity 15L

Dimension (cm) 46 (L) x 56 (W) x 120 (H)

Weight 41kg Cable Length 15 m Standard Accessories Solution Tank Pad Holder

- Multi-function: scrubbing/maintenance, crystallization, de-waxing, polishing, carpet cleaning restoring marble floors
- Increase Productivity: Innovative roto-orbital technology generates a constant orbital movement that allows to pass very swiftly at the same position multiple times
- Extraordinary performance create rotational movements with a diameter of about 1cm with 1,400 passes per minute
- Ideal for daily cleaning, maintenance and heavy duty cleaning



17" Single Disc Scrubber with Rotary Orbital Motion and Spray

Code 220-108430

Technical Specification

Cable Length

Motor 1.100W Voltage 220-240V 50-60Hz Frequency 90rpm / 1,400 obm (orbits per min) Speed

Pad Holder Size Noise Level <60dB(A)


Solution Tank Capacity 15L Dimension (cm) 46 (L) x 56 (W) x 120 (H) Weight 42kg

Standard Accessories Solution Tank Pad Holder

Standard Accessories

Solution Tank

Pad Holder




Equipped with adjustable pump spraying nozzle

3-position button for spraying - continuous, neutral or intermittent spraying

15 m

- Increase Productivity: Innovative roto-orbital technology generates a constant orbital movement that allows to pass very swiftly at the same position multiple times.
- Extraordinary performance create rotational movements with a diameter of about 1cm with 1,400 passes per minute



IMEC P430 DS

17" Single Disc Scrubber Dual Speed

Code 220-105930

Technical Specification

Motor 1,250W (Speed 1) / 1,700W (Speed 2) Voltage 220-240V Frequency 50-60Hz Pad Speed 180rpm (Speed 1) / 400rpm (Speed 2) Pad Holder Size Noise Level <60dB(A) Solution Tank Capacity 15L

Dimension (cm) 46 (L) x 56 (W) x 120 (H) Weight 35kg

Cable Length 15 m

 Multi-function: scrubbing, polishing, bonnet cleaning Comes with dual-speed – 180rm (scrubbing) & 400rpm (polishing)

Powerful Dual Motor & Dual RPM provide strong power output

 The off-set positon of the engine ensure a well-balanced weight distribution – effortless and easy use for the user

MAINTENANCE FREE

IMEC P1700

16" Ultra High Speed Floor Polisher Code 220-P1700

Technical Specification

 Motor
 1600 W

 Voltage
 220 - 240 V

 Speed
 1700 rpm

 Pad Holder Size
 16"

 Vacuum
 300 W

 Weight
 39 kg

 Cable Length
 15 m

 Drive
 Belt

Standard Accessories Pad Holder





ULTRA HIGH SPEED FLOOR POLISHER



- Safety system with triggers feature
- Optimum in achieving the glossy enduring "wet look" shine and luster
- Full floating skirt traps the polishing dust allowing the vacuum system to leave the floor dust free



Adjustable pad pressure



IBLACK

series

OURABLE

20" cleaning path

IMEC iBlack P1500S

20" Ultra High Speed Polisher Code 220-P1500S



Power Voitage Speed Weight Pad Holder Size Cable Length Drive 1800 W 220 - 240 V 1500 rpm 43 kg 20° 12 m ★ Standard Accessories
Pad Holder





- Maintenance free with adjustable handle
- · Easy to handle and ideal for large and small areas

Belt

· Produce ultimate wet look on finished floor



IMEC iBlack DR17

17" Diamond Restore Polishing Machine

Code 220-DR17

Technical Specification

220V - 240V Voltage Motor 1100W 1400 RPM Speed Agitation System Weight 85kg Pad Holder Size 17 Cable Length 11 m Suitable Flooring Granite Marble Tiles Natural Stone, Terrazo, Glaze Tile

- Suitable for restoration and polishing
- Easy to handle with push and pull movement



Easy to handle



Agitation system

IMEC P25

Floor and carpet cleaning machine

Code 220-P25

Technical Specification

220-240 V (50-60 Hz) 400 W Voltage Motor 200 m²/H Coverage 700 rpm (Front) & **Brush Speed** 1145 rpm (Rear) Working Width 25 cm Solution Tank 41 Recovery Tank 11

Cable Length 11 m

33 (L) x 28.5 (W) x 14 (H) Dimension (cm) Weight 10 Kgs

Lazy-friendly floor scrubber
No strength or physical effort is required
The cetrifugal force allow you to deeply clean even at the corners or edges

Collect dirt by just pushing the machine back and forward with minimum effort



Hard to-reach corners & edges are no longer an issue

Its compact size makes it

easier to clean in a

narrow spaces

IMEC P35

Floor and carpet cleaning machine

Code 220-P35

Technical Specification

Voltage 220-240 V (50-60 Hz) Motor 400 W Coverage 500 m²/H 700 rpm (Front) & **Brush Speed** 1145 rpm (Rear) Working Width 35 cm Solution Tank 41 Recovery Tank 1.8L Cable Length 11 m 33 (L) x 38.5 (W) x 14 (H) Dimension (cm)

· Lazy-friendly floor scrubber

Weight

· No strength or physical effort is required

 The cetrifugal force allow you to deeply clean even at the corners or edges

 Collect dirt by just pushing the machine back and forward with minimum effort





IMECi-SRUB 43B

Walk Behind Twin Brush Battery Operated Automatic Scrubber Code 220-i43B


Technical Specification

Voltage DC 36V Brush Motor / 374.4 W **Rated Power** Brush/Pad Speed 350 rpm Pad/Brush Size 8"x2pcs Squeegee/Suction 50 cm Width Recovery Tank 6.5 L Capacity Working Width 45 cm Working Capacity 1,300 m²/H Run Time Up to 70 min Charging Time Product Size (cm) 8 hours 45 (L) x 45.2 (W) x 119.5 (H) Weight 17 Kgs (inc battery)









Save manpower & reduce fatigue

Lightweight & maneuverable easily

Dry faster - Scrubs and dry at the same time
Working width capacity with 2 brushes

Castor Wheel - Easy to store and transport machine to another spot

360°

IMEC FIMAP 16B

16" Walk Behind Battery Operated Auto Floor Scrubber 280-103141 Code

Technical Specification

Brush Motor Suction Motor Brush Speed Pad/Brush Size Suction Width Solution Tank Recovery Tank Brush Pressure Working Capacity Working Width Noise Level Machine Weight Dimension (cm)

12 V / 250 W 12 V / 250 W 140 rpm 16" 44 cm 20 L 22 L 20 kg 1.215 mlh 41 cm < 69 dB (A) 67 kg (with battery) 68.5 (L) x 44 (W) x 94.5 (H) Standard Accessories Pad Holder Battery Charger Cable

Optional Accessories Scrubbing Brush





- · Highly recommended to use at food court, office, classroom, kitchen, supermarket and etc.
- Smallest battery powered walk behind auto floor scrubber
- · Patented parabolic squeegee swinging around the brush to ensure perfect drying even on bends
- Automatic squeegee and brush adjusting system that automatically adjust. to any type of surface
- Ideal for cleaning tight spaces and congested areas



DENOS IN JUST OF







IMEC iBlack C43E

Cable Operated Walk Behind Auto Scrubber 230-C43 Code

Technical Specification

Brush Motor Suction Motor 1200 W Voltage 220 - 240 V 155 rpm Speed Cable Length 18 m Pad/Brush Size 16" Working Capacity 1600 m2 / hour Cleaning Width 43 cm Suction Width 82 cm Solution Tank 30 L 30 L Recovery Tank **Brush Pressure** 31 kg Dimension (cm) 50 (L) x 109 (W) x 110 (H) Machine Weight 105 kg Cable Length 18 m

Standard Accessories



Adjustable handle



Safety lock pad



- Adjustable handle height for low-fatigue operation
- Able to clean up the edges
- Simple and safe operation
- Compact and easy to use with minimal overall machine dimension and removable squeegee tools



WALK BEHIND AUTO SCRUBBER



Ergonomic design



Splash skirt reduce overspray



Parabolic squeege

IMEC iBlack CB45

20" Walk Behind Battery Operated Auto Floor Scrubber 230-CB45 Code

Technical Specification

24V / 550W **Brush Motor** 24V / 500W Vacuum Motor **Brush Speed** 210 rpm Pad/Brush Size 20" Suction Width 75.5 cm Working Width 50.8 cm Working Capacity 1750 m²/H Solution Tank 50L Recovery Tank 50L 30 Kgs **Brush Pressure** Machine Weight 145 Kgs 49 (L) x 120 (W) x 89 (H) Dimension (cm)

Standard Accessories Pad Holder Charger Battery

Optional Accessories Scrubbing Brush

- Simple and safe operation
- Compact design and easy to use
- Fast dry with srubbing and suction at the same time
- Excellent cleaning in congested area
- Comfortable operating design







Easy to operate with 2 press button



Easy to access for maintenance purpose

IMEC iBlack CB65

Walk Behind 20" Battery Operated Auto Scrubber Code 250-CB65

Technical Specification

Brush Motor Suction Motor Brush Speed Pad/Brush Size Working Width Working Capacity Suction Width Solution Tank Recovery Tank Dimension (cm) Machine Weight

24 V / 550 W 24 V / 550 W 180 rpm 20" 60 cm 2200 m² / hour 81.5 cm 65 L 75 L 50 (L) x 135 (W) x 104 (H) 155 kg

Standard Accessories Pad Holder Battery Charger

Optional Accessories Scrubbing Brush



iBLACK

series





- with wet hands as there is a protective cover on the switch button
- High battery capacity: Operating time up to 2.5 hours
- · Convenient and easy: Can be operated with a simple control panel
- Fast dry: Can work on scrubbing and suction at the same time
- Increase productivity: Has extra large tank (Solution tank of 65L and recovery tank of 75L) that reduce the frequency of changing water





Our IMEC iBlack CB50 & CB65 gives you the freedom to clean the floor without limitation of the cable

IMEC FIMAP MXR

Ride On Floor Auto Scrubber 280-105860 Code

Technical Specification

Brush Motor 24 V / 450 W Suction Motor 24 V / 310 W **Brush Speed** 170 rpm Pad/Brush Size Suction Width 70.3 cm Solution Tank 701 Recovery Tank 70 L **Brush Pressure** 23 kg Working Capacity 3.000 m²/h Working Width 56 cm 54 dB (A) Noise Level

Machine Weight 110 kg (without battery) Dimension (cm) 126.5 (L) x 60 (W) x 103 (H)

Standard Accessories Optional Accessories Pad Holder Million Blue Brush Battery Scrubbing Brush Charger

Yellow-colored Ergonomic steering wheel with controls and display easy to maintain parts Emergency stop buttor Protective frame to ensure longer working life Safety

Anti-overturn



- The First Most Compact and Environmental Friendly Ride On Auto Scrubber in Malaysia. Comes with Eco-Mode function that helps to ensures energy and water savings during cleaning.
- . Equipped with FNC (Fimap Noise Cancelling) technology which keeps the sound pressure levels extremely low which enable it to work at the most noise-sensitive surroundings especially in the healthcare industry.
- · Very User-Friendly and Easy to Operate.
- Can be use at narrow walkways or spaces and can fit into a lift for easy transportation in multilevel buildings.
- Comes with increased safety features to ensure your floor is dry to prevent any slip or fall accidents in your premises
- · A faster and more convenient alternative for small, cluttered spaces where a walk behind scrubbing machine would normally be used.

Do not mix different types of detergent as this may produce harmful gase



IMEC AR66B

Ride-On Scrubbing Machine Code 280-163010

Technical Specification

Brush Motor 24 V / 400 W x 2 24 V / 450 W Suction Motor Brush/Pad Speed 180 rpm Brush/Pad Size 13"x2 30 - 60 kg Brush/Pad Pressure Working Width 66 cm Suction Width 3200 m² / hour Working Capacity 68 dB (A) Noise Level 34 cm x 2 Solution Tank 70 L Recovery Tank 85 L 230 kg Machine Weight (kg) Dimension (cm) 130 (L) x 72 (W) x 116.5 (H)

- * Standard Accessories * Optional Accessories Pad Holder Battery Charger
 - Scrubbing Brush Million Blue Brush
- · Excellent for small places such as traditional doors, supermarkets checkouts and elevators
- · Additional compartment to carry cleaning tools
- · Electromagnetic brake device make it more secure to stop at the ramp or slope
- · Part of squeegee is made of glass Iron which make it more durable





Multipurpose Compartment





Compact Size

32



IMEC AR86B

Ride-On Scrubbing Machine Code 280-164030

Technical Specification

Brush Motor Suction Motor Brush/Pad Speed Brush/Pad Size Brush/Pad Pressure Working Width Suction Width Working Capacity Noise Level Solution Tank Recovery Tank Machine Weight (kg) Dimension (cm)

24 V / 400 W x 2 24 V / 450 W 150 rpm 17°x2 30 - 60 kg 86 cm 100 cm 5100 m2 / hour 68 dB (A) 110L 125 L 375 kg 164.5 (L) x 75.5 (W)



Single Hand Operation

Safety Light & LED light

Standard Accessories Pad Holder Battery



Million Blue Brush



Parking Brake

- Easy maneuvrable steering wheel by using the knob turn 360
- · Designed to provide comfort for the users
- . To help to provide a brighter & clearer view in the dark places or night time

x 149.2 (H)

- · Parking brake make it more secure to stop at the ramp or slope
- . The round edging protector will prevent scratches when the squeegee or disc brush is too near to the wall



Do not use this machine as a means of transportation



IMEC FIMAP MR85

85cm Battery Operated Ride On Auto Floor Scrubber 280-105468 Code

Technical Specification

Brush Motor 24 V / 450 W 24V/310W Suction Motor Brush Speed 170 rpm Pad/Brush Size 2 x 16' Suction Width 110.5 cm Solution Tank 110L Recovery Tank 125 L **Brush Pressure** 30 kg Working Capacity 5.100 m²h Working Width 85 cm 58 dB (A) Noise Level Machine Weight 359 kg Dimension (cm)

149 (L) x 85 (W) x 132 (H) Optional Accessories Standard Accessories Pad Holder Million Blue Brush Battery









Go!

- · Extremely user friendly; do not require any specialized personnel to operate the machine
- Thanks to FNC (Firmap Noise Cancelling) Technology that lowers the machine noise level to 58 dB(A) which helps to reduce disturbance during cleaning especially for hospital, school, shopping mails & etc.
- Highly mobile with design that fits the machine into standard lift and enables to clean large areas
- Low cost and super easy maintenance

Charger

Technical Specification

24 V / 720 W Brush Motor Brush Speed 150 rpm **Brush Size** 15 Suction Width 90 cm Solution Tank 110 L Recovery Tank 110 L **Brush Pressure** 35 kg 4.500 m²/h Working Capacity Working Width 75 cm

159.5 (L) x 124.7 (W) x 90 (H) Dimension (cm)



Extraordinary Performance

RIDE-ON AUTO SCRUBBER

Standard Accessories Scrubbing Brush




















- · The most innovatiove solutions is being used to increase productivity and get the best results and benefits in small and medium areas
- The new design provides comfort and safety during use and highlights the product quality
- iD-intelligent Drive allows to manage all machine functions through a control panel on a touch screen; it makes driving easier and ensures a good start on cleaning operation
- Eco Mode device reduces noise level and saves energy, water and detergent
- FLR Fimap Long Range recycling system that increases productivity, using up to 70% less chemicals
- Power Mode increases scrubbing effectiveness in heavy duty cleaning tasks
- High performances on slopes due to the rear transaxle
- Safety and comfort are ensured by the lowered footboard, access from both sides and wide leg room space
- Built-in bumpers help to protect components, reduce maintenance and ownership costs































IMEC FIMAP MAGNA 1300D

Ride On 130cm Auto Floor Scrubber / Sweeper Diesel Driven

280-107794 Code

Technical Specification

Brush Motor Vacuum Motor Traction Motor Brush Speed Brush Size Debris Hooper Tank Diesel Tank Capacity Solution Tank Capacity Recovery Tank Capacity Working Capacity Working Width Noise Level Machine Weight Product Size (cm)

36V/1125Wx2 36V / 650W x 2 36V / 3000W 220 rpm 13.6" x 4 pcs 40 L 231 3001 360 L 7800 sq.m²/h 130 cm <70 dB(A) 2000 Kgs 235.5 (L) x 148.6 (W) x 180.7 (H)









Side Bumper Rollers



Buzzer & Blinking



Chemical Storage

- Scrubs and sweeps at the same time for superb performance in a single passage
- A single machine for deep cleaning and to collect small debris
- A powerful scrubbing machine, designed for cleaning large spaces
- · Dual vacuum motor ensures perfect drying in a single passage with no marks or residue
- · The brush head is equipped with 4 disc brushes which offering superb performance in all situations
- Simply press a button to work quietly in sensitive environment without causing a disturbance



IMEC VBS 300

Rechargeable Lobby Battery Sweeper Broom 210-3300 Code

Technical Specification

Brush Motor Battery Type Container Capacity Length of Telescope Battery Running Weight Charging Time Dimension (cm)

4.8V / 40 W NI-MH Battery 1.5 L 68 - 110 cm 55 min 2 kg 1 hour

30 (L) x 23 (W) x 8 (H)

Standard Accessories Charger

- Innovative tool that performs beyond extraordinary
- Comes in complete set of battery and charger
- Powerful rotating brush to pick up dust and dirt in greener way
- Allow access to low-fixture
- No assemble required to perform cleaning task
- · Ideal for spot or small area cleaning



Traditional method will make the air more dusty



No more dusty air



Fits into tight spaces



IMEC MS1100

Manual Outdoor Sweeper 260-MS1100 Code

Technical Specification

Working Width Working Capacity **Dust Capacity** Dimension (cm)

Weight

3580 m²/H 55 L 130 (L) x 79 (H) x 130.5 (W) 23.8 kg



Designed for a bulk garbage collection
Adopts a unique spiral variable-direction transmission technology design

110 cm

Two rotating front brushes synchronously coorperate with the flat shovel close to the ground and collect massive garbage on the ground easily into the garbage bin

• The whole cleaning process is dust-free, noise-free and clean



Foldable



Adjustable Handle





IMEC i-SWEEP 22

Battery Operated Walk Behind Auto Floor Sweeper 260-69022 Code

Technical Specification

Brush Motor 12V / 270W Brush Speed 105rpm Working Width 100cm Working Capacity 4000m²/Hour Dirty Hooper Capacity 221 Centre Brush Length 40cm Side Brush Length 40cm (Dia) Noise Level 70 dB(A) Product Size 147 (L) x 98 (W) x 100 (H) 90 Kgs Product Weight Battery Running Hours + 5 Hours Charging Hours 8 Hours

- Excellent cleaning result able to pick / suck up all fine dust / debris
- · Compact and manoeuvrable makes machine can easily go around
- · Excellent suction motor and efficient air filter to ensure no dust to come out during cleaning
- Low maintenance cost
- · Strong protected frame and all components to avoid damages



Filter Shaker Pedal



22L Debris Hooper Tank



Filter Catridge

IMEC i-SWEEP 90




Ride On Floor Sweeper - Battery Driven 280-19700 Code

Technical Specification



Vacuum Motor Working Width Working Capacity Dirty Hooper Capacity Water Tank Capacity Central Brush Length Side Brush Length Noise Level Product Size Water sprayer helps a lot in

Brush Motor 24 V / 400 W 24 V / 400 W 120 cm 6600 m²/H 90 L 45 L 28 cm 45 cm 68 db (A) 165 (L) x 94.5 (W) x 135 (H) 540 kg



Standard Accessories



Tools Storage

cleaning up strong dusty area

Battery Charger

- Powerful sweeping machine perfect for outdoors and indoors
- Built-in big tools box

Code

- Extremely maneuverable and user-friendly
- . Comes with overhead guard to protect operator from fulling object or direct sunlight during outdoor cleaning
- Comes with water spray function
- · Suitable for carpet and floor in airports, hotels or convention centers



LED Lights

IMEC FSR-B

Ride On Floor Sweeper - Battery Driven

280-106551





Battery Charger OFES





Overhead guard to protect operator

Ergonomic steering wheel



- Suitable for both indoor and outdoor cleaning
- Compact, maneuverable and can easily go around obstacles
- Available with panel filter, for standard operations, or with cloth filter to achieve excellent filtering results. especially for environment with high presence of very fine dust
- · Easy and simple maintenance; debris hopper is very easy to remove and empty with no efforts
- · User-friendly, ergonomic and easy drive steering wheel without distractions
- . The machine design ensures full visibility during operation and makes the interaction with the machine comfortable and gratifying
- · Enhanced with safety features; emergency stop button, safety brake and head lights with LED technology
- · Ideal for cleaning carpet surfaces at airports, hotels or convention centers



RIDE-ON SWEEPER



T

IMEC FSR Hybrid can operate up to 7.5 hours



IMEC FSR HYBRID

Ride On Floor Sweeper - Battery & Petrol Driven Code 280-106553

Technical Specification

Brush Motor Working Width Central Broom Length Side Brush Length Working Capacity **Dirty Hopper Capacity** Noise level Weight Dimension (cm)

24 V / 380 W 100 cm 60 cm 40 cm 4,500 m²/h 65 L 60.5 db (A) 249.5 kg 145 (L) x 84 (W) x 100 (H) Standard Accessories Battery Charger









- · Compact, maneuverable and can easily go around obstacles
- · Available with panel filter, for standard operations, or with cloth filter to achieve excellent filtering results, especially for environments with high presence of vastly fine dust
- · Easy and simple maintenance; debris hopper is very easy to remove and empty with no efforts
- User-friendly, ergonomic and easy drive steering wheel without distractions
- The machine design ensures full visibility during operation and makes the interaction with the machine comfortable and gratifying
- . Enhanced with safety features; emergency stop button, safety brake and head lights with LED technology
- Up to 45% energy saved thanks to START & STOP technology that stops the brushes and the vacuum when the machine is not operating or is in idle position
- Ideal for cleaning carpet surfaces at airports, hotels or convention centers





IMEC FS800H

95cm Ride On Street Sweeper with Electrical System Petrol Driven Code 280-105561

Technical Specification

Practical tool pedal to control forward & reverse


> Combustion Engine 5.5 hp Working Width 95 cm Central Broom Length 80 cm Side Brush Length 2 x 40 cm Working Capacity 6,700 m²/h **Dirt Hopper Capacity** 70 L Dump Height 130 cm Noise level Weight

73 dB (A) 381 kg Dimension (cm) 160 (L) x 108 (W) x 131 (H)









· Suitable for all types of dirt, both indoors and outdoors

· User friendly design, no operator training required

 Automatic electrical emptying system. Up to 6m² filtering capacity

Powered with a 5.5 hp Honda engine



asy to inspec

recharge







IMEC FS80D

112cm Ride On Street Sweeper with Hydraulic System Diesel Driven

280-104480 Code

Technical Specification

Diesel Engine Working Width Central Broom Length Side Brush Length Working Capacity Dirty Hopper Capacity Dump Height Weight

Dimension (cm)

80 cm 50 cm 8,960 m²/h 190 L 140 cm - Hydraulic system 730 kg 202 (L) x 113 (W) x 143 (H)

112 cm

14 hp Perkins - Diesel

OFFS Fimap Energy Saver

· For maximum driving comfort and reliability, all main functions are hydraulic: Traction, Lifting and emptying the rubbish container, Rotating the brushes and Vacuuming dust

- The self-adjusting central broom will keep consistent surface contact, even on uneven surfaces with a tilt up to 20%
- · Car-styled instruments panel with immediate visualization of all the functions
- Designed with new FIMAP Energy Saver system that increase performance. reduce energy consumption up to 35%
- · Comes with a 14 hp Perkins Diesel engine



Avoid damage from accidental knocks with retractable side brush

Product training will be provided to guid your team on how-to-use and how-to-maintain the machine for a longer lifespan







IMEC FS100D

Ride On 135cm Auto Road Sweeper with Electrical Hydraulic System Diesel Driven

Code 280-103453

Technical Specification

Diesel Engine 28 hp Perkins - Diesel Working Width 135 cm Central Broom Length 100 cm Side Brush Length 50 cm 15,250 m²/h Working Capacity 400 L Dirty Hopper Capacity Dump Height 150 cm 1070 kg Weight 233 (L) x 138 (W) x 172 (H) Dimension (cm)

FES Fimap Energy Saver

Comfortable step provide easy access to driver's seat



Retracable side brush to absorb accidental impacts

Flexible handle

- . Optimum work of autonomy with maximum energy savings
- · Maximum attention of comfort: the driver's seat is accessible from both sides and has been made to measure for the operator, to make the operator as comfortable as possible while working
- · Excellent accessibility to the motor compartment, for carrying out any type of intervention - routine and extraordinary - inside the machine, without obstacles
- Designed to ensure safety and reliability in all working conditions
- · Excellent cleaning results, thanks to the central brush with its floating, self-adjusting system that ensures it is always in perfect contact with the floor
- The side brush retracts in the event of accidental jolts, avoiding any possible damage
- The adjustment of the side brush inclination means you can adapt it to any type of application. to remove any residue along edges and up against the wall
- · Comes with a 28HP Diesel engine



IMEC HP150A Plus

High Pressure Cleaner Code 205-150A-plus

Technical Specification

220 - 240 V Voltage 3000 W Motor Max Pressure 160 Bar 10 | /Min Flow Rate Solution Tank 2 x 600 ml Water Hose 30 ft Cable Length 5 m ±24 Kg Weight Dimension (cm) 38 (L) x 33 (W) x 84 (H)


Standard Accessories Water Hose Pressure Gun Pressure Lance Turbo Lance



Accessories provided



Built-in pressure hose roller for tidy look & prevent from cluttered



- Hassle free operating system thanks to the easy valve function
- · Optional turbo jet for superb cleaning power
- Cleaning and maintenance of all kinds of sector such as logistic, industrial, hospitality, automotive, transport, F&B and retail
- Suitable to clean exterior walls, floors, drainage and corner which are hard-to-reach area




IMEC HP130

High Pressure Jet Code 205-130

Technical Specification

Voltage 220-240 V
Frequency 5-60 Hz
Motor Power 2500 W
Spray Rate/Water
Pump Pressure
Water Pump Speed
Water Flow Rate
Product Weight 220-240 V
5-60 Hz
2500 W
130 Bar / 13 Mpa
1400 rpm
10 L/Min
44 kgs



- High-pressure triggered gun with zero holding force for fatigue-free operation
- Mainly used in cleaning and maintenance of all kinds of airports, railway station, car parks, logistic centres and industrial facilities




IMEC HP270G

Petrol Driven High Pressure Jet Code 205-270G-COM

Technical Specification

Motor Power	15 hp
Motor Type	LiFan Motor
Petrol/Diesel Tank	5 Litre
Capacity	
Spray Rate/Water	270 Bar / 27 Mpa
Pump Pressure	No.
Water Flow Rate	15 L/Min
Max Inlet Water	30°C
Temperature	
Product Size (cm)	55 (L) x 90 (W)
Weight	x 69 (H)
	70 Kas



- power sources

 The pump is reliably protected by a large water filter and a themostat valve
- A protective cage frame with eyelets to allow crane loading





Powerful clean



Freedom movement



Multifunction



IMEC iBlack PRO-T

Super Cool Wind Blower Code 201-228

Technical Specification

 Voltage
 220 - 240 W

 Motor
 350 W

 Fan Speed
 Low - 1118 rpm

Medium - 1253 rpm

High - 1375 rpm

Blower Width 25 cm

Timer 0 - 180 Minutes
Weight 6 kg

Product Size (cm) 30 (L) × 36 (W) × 42 (H)

Cable Length 6 m

· Lightweight and super strong air blow

- Compact size to fit narrow spaces
- Available in 3 Speed Level to suit various application
- Dries any type of floor and carpet quickly



WIND BLOWER

Lightweight



With timer control



IMEC SPEEDO T03

Wind Blower

Code 201-335

Technical Specification

 Motor
 850 W

 Voltage
 220 - 240 V

 Speed
 Low: 1080 rpm

Medium: 1200 rpm High: 1350 rpm

Weight 17.3kg Dimension (cm) 50 (L) x 43.5 (W) x 50 (H)

Cable Length 5m

Moulded-in cord hook to hold cable when not in use

Adjustable air flow enables selection of different levels of air flow for different usage

• Dries any types of floor and carpet quickly and thoroughly



2 angle air flow



Stackable



IMEC iBlack PRO-C

Super Cool Wind Blower Code 201-338

Technical Specification

Voltage 220 - 240 V Motor 900 W Air Flow High - 5650

Flow High - 5650 cfm Medium - 4591 cfm Low - 3885 cfm

Weight 18 kg

Dimension (cm) 53 (L) x 42 (W) x 52 (H)
Cable Length 7m

- Super strong air, save drying time by HALF!
- Polyurethanes housing impact resistance
- Comes with extendable telescopic handle & large rear wheels for easy transportation
- Rock-solid base structure provide perfect stability during operation
- Features elevator stand to raise the blower for different angles (90°C/ 45°C)
- · Available in 3 speed level (low, medium & high) to suit various application



Sturdy adjustable telescopic handle









IMEC CK 3030

Heavy Duty Carpet Keeper 210-3030 Code

Technical Specification

Voltage Motor Brush Size (WxDia) Brush Speed Cable Length Handle Length Noise Level Weight Dimension (cm)

220 - 240 V 1 hp (2 Motor) 28" x 3" 1800 rpm 22 m 30" 70 dB (A) 95 kg 96 (L) x 50 (W) x 90 (H)

An ergonomically-designed handle with cushioned grips and safety switch

1800 rpm brush loosens deep down dirt and revives carpet pile

Four stage clean-air filtration for cleaner carpets and healthier environment





Foldable handle for easy storage



Large tank capacity

IMEC CK2626B

26" Carpet Keeper Battery Operated Code 210-2626

 Five pile height adjustment with a simple foot pedal · Handle can be adjusted for operator comfort

Technical Specification

36 V / 436W x 2 Vacuum Motor **Brush Motor** 36 V / 150W Brush Speed 1420 rpm Vacuum at Nozzle 3.86 kPa 172 L/Sec Air Flow Rate Mode of Cooling Air-cooled 14 M/Bar Vacuum Suction Noise Level 75 dB (A) Working Capacity 2500 m2/Hour Working Width 66 cm Running Hours 2 Hours Charging Hours Dust Bag Capacity 4 Hours 35 Lit/Kg Handle Height (cm) 70cm Weight 86 kg

★ Optional Accessories Cloth Filter Bag (210-222)



- Vacuum & clean large area easily & effectively
- Delivers performance and increase productivity up to 2500 square meter
- Easy operation and reducing operator fatigue while handling the machine
- Brush effectively removes dust and revive carpet pile in high traffic areas. so your carpets stay looking great longer
- Comes with circuit breaker to protect an electrical circuit from damage caused by excess current from an overload or short circuit
- Simple step of emptying dust bag is by taking out the bag and throwing the dust

IMECINTER JET

Heater Extractor System Machine 201-900 Code

Technical Specification



Vacuum Motor 2 x 1100 W Solution Tank 30 L Recovery Tank Pressure 100 psi 900 W Heater Thermostat Control

Manufacture set at 70°C Solution Hose 13 ft with brass coupling Vacuum Hose 14ft

Optional Accessories Hand Utility Tools

Wand

Vacuum & Water Hose

Professional Stainless Steel

- · Heavy duty multipurpose carpet/upholstery cleaning machine
- Its Lamp motor and Flowjet pump ensure durability and long hour operations
- Effectively removes dirt and residue without over-wetting the carpet
- Hot water extraction enhances the cleaning performance leaving the carpet clean and ready for use within an hour





IMEC iBlack MOBILE 400EX

Carpet Self-Contain Unit 201-400 Code

Technical Specification

to other op out its		A CARLO BY MANY
Voltage	220 - 240 V	★ Standard Accessories
Vacuum Motor	1000 W	
Brush Motor	1122 W	
Brush Speed	1500 rpm	
Pressure	30 psi	
Coverage Per Filing	900 sq. ft	
Brush Width	35 cm	
Suction Width	46 cm	Maria - C Maria - Hara
Solution Tank	25 L	Vacuum & Water Hose
Recovery Tank	36 L	
Weight	46 kg	
Cable Length	18 m	
Dimension (cm)	43 (L) x 91 (W) x 92 (H)	Hand Utility Tools

- Spray, clean & dry in one pass.
- · Large tank capacity provides efficient cleaning with minimal interruption to refill solutions.
- Quick surface drying & super strong suction.
- · Safe on carpet, sofas & cartapestry



IMEC MOBILE 400M

Carpet Extractor Machine 201-400M Code

Technical Specification

Transfer and the property of the contract of the	
Voltage	220 - 240 V
Vacuum Motor	1000 W
Spray Motor	34 W
Vacuum Suction	230 m/Bar
Spray Rate	87 Psi / 6 Bar
Vacuum Air Flow	53 L/s
Solution Tank	10 L
Recovery Tank	40 L
Coverage per filling	144 m ² /hour
Cable Length	7 m
Dimension (cm)	40 (L) x 40 (W) x 87 (H)
Weight	±17 kg

Standard Accessories





Floor Wand x 1 Unit

- · 3 in 1 function Spray, Clean & Dry in one pass
- · Compact design for easy transportation and easy clean at congested area
- · Provides efficient cleaning
- Safe on carpet, sofas & car tapestry

IMEC MOBILE 800M

Carpet Extractor Machine Code 201-800M

Technical Specification

Voltage Vacuum Motor Water Pump Motor Vacuum Suction Spray Rate Vacuum Air Flow Solution Tank Recovery Tank Coverage per filling Cable Length 48 (L) x 60 (W) x 104 (H) Dimension (cm) Weight ±38 kg

220 - 240 V 1000W×2 110 W 250 m/Bar 30 Psi / 2 Bar 106 L/s 20 L 60 L 144 m²/hour 7 m

Standard Accessories



- Large tank capacity provides efficient cleaning with minimal interruption to refill solutions.
- Quick surface drying & super strong suction due to twin vacuum motor.
- · Safe on carpet, sofas & car tapestry







EC XI

IMEC X-46

Escalator Cleaner Machine Code 208-2046-00

Technical Specification

Brush Motor 220 W Vacuum Motor 1000 W 220 - 240 V Voltage 1800 rpm **Brush Speed Body Material** Metal **Dust Bag Capacity** 10 L Brush Width 45 cm Cable Length 12 m Weight 38.5 kg Dimension (cm) 95(L) x 54(W) x 31(H)



Travolator



Escalator

- . Motorized power brush removes dirt, stains & dust from escalator & mechanical walkways.
- . The height of the roll brush can be adjusted automatically
- · Contains a dust bag for easy dust collection
- Easy to transport and handle can be fold down

IMEC X36B

Escalator Hand Rail Machine Code 208-2036

Technical Specification

Voltage Electricity/Battery Capacity Pump Pressure Flow

Flow Solution Tank Capacity Weight Dimension (cm) 1800 Mah 435 Psi / 30 Bar 1.5L / Min 4 Lit 17.4 kg

39(L) x 52(W) x 100(H)

12V / 1A



Power Bank x 1 unit








- 24cm microfiber cleaning pad specially designed for cleaning the entire rubber handrail
 Ergonomic handle with rubber foam for better comfort
- Contains a dust bag for easy dust collection and removable microfiber pad holder to clean it after usage
- Remove dirt, soil, bacteria & moisture from the handrail leaving it cleaner & safer surface to use
- Durable stainless steel construction
- Movable holder pole to allow it more flexibility to move follow the rubber handrail

IMEC POWERTEC 30

Spray-Rinse-Vacuum Machine Code 290-11030

Technical Specification

Voltage 220 - 240 V 1000 W Vacuum Motor Max. Waterlift 2200 mmH2O Max. Airflow 501/s 301 Recovery Tank Solution Tank 301 Pump Pressure (max.) 9 bar Cable Length 10 m Spray Hose 5 m Vacuum Hose 5 m Water Flow (max) 5 L/min 35 kg Weight 38(L) x 60 (W) x 78 (H) Dimension (cm)



Vacuuming

- 3 in 1 system : Spray, Rinse & Vacuum
- Quick & easy solution for daily cleaning & sanitizing of washrooms, kitchen, offices, factories, healthcare centres, education centres, swimming pools, saunas & spas area
- Complete cleaning & sanitizing result: spraying surface with chemical solution, rinse after a few minutes and vacuum all residue liquid from floor, leaving room dry, clean & sanitized
- · Save time & reduced labour cost; minimum manual work since the dirt is removed by the chemical action and mechanical action of rinsing.

Rinsing

- Time & number of workers required can be reduced
- Safety for workers: does not come in contact with the surfaces & the object to be cleaned as well as does not get wet by splashing water, because rinsing is done with low pressure
- . Time saving: while chemical solution acts on the surfaces where it has already been sprayed, the worker is free to operate on other surfaces
- Therefore, even a big room can be completely cleaned in a short time without idling
- Complete with vacuum, possibility to operate in places without drains
- Small & lightweight, easy to transport & stored
- Can be used as injection-extraction machine for carpet & upholstery cleaning

Use with

IMEC SANI-FOAM

& IMEC ANTIFOAM

IMEC JS08 PLUS

Steam Injection with Overheated Water Injection 8 Bar 207-2162908

Technical Specification

Voltage 220 - 240 V Boiler Output 2400 W ABS Body Water Tank 3L **Detergent Tank** 3L Pressure 8 bar Steam Temperature 170 - 190°C Steam Production 64 g/min 12 kg Weight 53 (L) x 40 (W) x 52 (H) Dimension (cm)



Full Accessories

- · Best for sanitizing and disinfecting
- Effectively and naturally cleaning power
 Professional attachments for various cleaning task
- · Large tank capacity
- Eco-friendly



Carpet

Tiles



Mirror

Cushion & Sofa

IMEC JS10-SS

S/Steel Steam with Overheated Water Injection 6 Bar 207-PW30061

Technical Specification

Voltage Heating Motor Power Vacuum Motor Power Water Tank Capacity **Boiler Tank Capacity Detergent Tank Capacity** Steam Temperature Steam Production Weight Dimension (cm)

220 - 240 V (50-60 Hz) 3650 W Stainless Steel BA 3L 4L 3L 90-160°C

97 g/min 33 kg

60 (L) x 45 (W) x 75 (H)



Full Accessories

- · Best for sanitizing and disinfecting
- Effectively and naturally cleaning power
 Professional attachments for various cleaning task
- · Large tank capacity
- · Eco-friendly



Detergent tank Water tank

IMEC JS 14-SS

Stainless Steel Steam Injection Machine Code 207-3000401

Technical Specification

220 - 240 V Voltage **Boiler Output** 3500 W Body Stainless Steel BA Water Tank 7.5 L Detergent Tank 7.5 L 6 bar / 87 psi Pressure Steam Temperature 165°C Steam Production 97 g/min Weight 35 kg Dimension (cm) 50 (L) x 40 (W) x 80 (H)



- Food Safe and Ecologically friendly approach
- Compliance to HACCP
- Clean & Disinfect all surfaces without the use of chemical or detergent but only requires water
- Powerful steam pressure combined with overheater water injection penetrates into all hard to reach areas
- Superheated hot steam up to 165°C melts away and dislodges all grease, dirt and stubborn stain particles





Healthcare

Washroom Cleaning





FSB

Car Sanitising



Full Accessories













IMEC JS18-SS

S/Steel Steam Injection Machine 10.8kW Code 207-4W05010

Technical Specification

10,800 W Voltage Motor Output 1,000 kPa / 10 Bar Spray Pressure 145 Psi Steam Production 0.291 L/minMax Steam Temperature 182°C Detergent Temperature 90-160°C Water Tank Capacity
Detergent Tank Capacity 14 L 14 L **Boiler Tank Capacity** 7L Cable Length 8 m Weight 60 Kgs

- Best for sanitizing and disinfecting
- Effectively and naturally cleaning power
- Professional attachments for various cleaning task
- Large tank capacity
- Eco-friendly



Full Accessories

CORDLESS



i-NANO2 PLUS

Battery Operated 3 Speed Nano Mist Sprayer Code 308-0012-00

Technical Specification

Product Code
Voltage
Rated Power
Coverage Area
Spray Volume
Mist Particles
Spray Range
Tank Capacity
Product Weight
Battery Capacity
Operation Hour
Charging Hour
Product Size

308-0012-00 5V 10W 100 sq.ft/min ±8.3 ml/min 20 microns Up to 1.5 meter 500 ml 0.46 kg 4,000 mAH 60 - 80 minutes 3 Hours

25.5 (L) x 8.5 (W) x 17.5 (H)





Warehouse

Meeting Room





Trolley

Car Interior

- Lightweight
- Spray over on narrow spaces
- Blue light to determine the surface has been covered with disinfectant
- Powerful action with 2pc 2000maH Lithium Batteries
- Simple operation & free maintenance

Electrostatic Charge ON/OFF 18V Lithium Battery 1L Tank

IMEC FIMAP E-Spray

Professional Spray Gun with Electrostatic Hygienization Code 280-109823

Technical Specification

Voltage Motor Power Coverage Area Spray Volume/ Flow Rate

Mist Particles Solution Tank Running Time Weight 18 V (2 Ah)
20 W
350 m²/Hour
45 ml/min
61 ml/min
77 ml/min
40 / 60 / 80 µm
1 L
Up to 8 hours

- Allows to coat a surface with disinfectant solution evenly and uniformly with the electrostatically charged spray makes each surface covered with the micronized solution
- Sanitation and disinfection time can be run in a short time.
 Thanks to the quick distribution of the solution

1.8 Kgs

- The mist sprayed in a very small and light drops, which reach every point of the area to be treated and settle effectively
- Light weight and very comfortable
- Powered by a lithium battery that allows to carry out hygienization for up to 8 hours freely without being tied down by a cable
- . The small size allows the operator to sanitize small rooms and space
- Certified as ISO compliance
- Standard accessories provided



Office



Public Area



Commercial

CORDLESS

IMEC EFS7B

Battery Operated Super Turbo Fogging Sprayer Code 308-007B

Technical Specification

Voltage
Power Rated
Spray Volume
Spray Range
Nozzle
Tank Capacity
Running Hours
Dimension (cm)
Weight

12 V 60 W 77 ml/Minute 1-5 m 0.3 mm (50 microns) 7 L 2 Hours 44 (L) x 20 (W) x 26 (H) 4.5 Kgs

- Fine mist; produce 50 microns
- Battery operated up to 24 hours
- Limitless to work anywhere
- 5 meter spray range





Warehouse

Meeting Room





Logistic

Office



IMEC EMS18

Electric Misting Sprayer Code 308-018

Technical Specification

Product Code 308-018 100-240V (50/60 Hz) Voltage 120 W Power Air Flow 48 CFM Dimension (cm) 36 x 19.5 x 44.7 3.4 kg 1.6 L/Hour Weight Spray Volume Spray Range Up to 2 meter Mist Particle < 5 µm (5 microns) Cover Area 2,000 sqft/hr Sanitizing Tank 15 L

- Mist outlet
- Suitable to place at all area
- Wall mounted or stand on the floor
- Lightweight easy to carry & move everywhere
- For long hour sanitation up to 10 hours



Lightweight

Wall mounted or stand on the floor



Trolley for Setup Idea Easy to transport



PAPER REFILL W



IMEC KJ PULP

2 Ply Roll Paper ±130m (Pure Pulp), Jumbo

Code 300-1306-00 Packing 12 Rolls / Box



IMEC JRT 300

2 Ply Roll Paper ±300m (Pure Pulp), Jumbo

Code

300-1309-00

Packing 12 Rolls / Carton



Do you know that pure pulp jumbo roll tissue can dissolve easily and prevent blockage during



IMEC JR600 IMEC JRT Roll Dispenser IMEC JRT ABS

IMEC JRT 200

2 Ply Emboss Roll Paper ±200m (Recycle Paper), Jumbo Code

300-1307

Packing 12 Rolls / Box



IMEC JRT KJ

2 Ply Emboss Roll Paper ±100gm (Recycle Paper), Jumbo

Code 300-1306 Packing 12 Rolls / Box



IMECHBT-1

Single Ply Emboss Tissue (Pure Pulp)

Code 300-1336-1

20 x 10

Dimension (cm) Packing 36 packs x 250 pcs / Box (9000 pcs)



IMEC HBT-2

2 Ply Emboss Tissue (Pure Pulp)

Code 300-1336-2

Dimension (cm) 20×95

Packing 36 packs x 200 pcs / Box (7200 pcs)



IMEC V-PULP

Hand Towel Tissue Paper (Pure Pulp)

Code 300-1339 Dimension (cm) 21 x 20

Packing 16 packs x 250 pcs/ box (4000 pcs)



IMEC M-FOLD

Hand Towel Paper (Pure Pulp)

Code

Dimension (cm) Packing 16 packs x 250 pcs / 300-1335-00 22×23 Box (4000 pcs)



IMEC HRT 150

Emboss Hand Towel Roll Paper 150m (Pure Pulp)

Code 300-1310 Dimension (cm) 20 x 16

Packing 12 Rolls / Box




IMEC JRT Roll Dispenser

Roll Dispenser (Transparent)

Code 300-1304 Material ABS

Dimension (cm) 29.5 (H) x 12 (W) x 27.5 (D)



dispenser is a matching colour with white WC bowl

This IMEC JRT ABS



IMEC JRT ABS

Roll Dispenser

Refill with: 1.IMEC HBT-1 2.IMEC HBT-2

Code 300-1343

Material ABS

Dimension (cm) 29 (H) x 12.5 (W) x 27 (D)



IMEC JR600

JRT S/Steel Roll Dispenser

Code Material Dimension (cm) 300-1341 Stainless Steel 26 (D) x 11.5 (W)



IMEC PU Tissue Dispenser

Table Tissue Dispenser

Code Material Dimension (cm) 300-1301 ABS 11(L) × 11(W) × 16(H)



IMEC HBT Dispenser

Hand Towel Dispenser

Code Material Dimension (cm) 300-1303 ABS 13.5 (L) x 12 (W) x 27.5 (H)



Refill with:

IMEC TPD 30

Hand Towel Dispenser

Code 300-1330 ABS

Material Dimension (cm) 25.5(L) x 11.5(W) × 25 (H)



IMEC TPD 34

Hand Towel Dispenser

Code Material Dimension (cm) 300-1334-00 ABS 27 (L) x 12.5 (W) x 38 (H)

Chris



Refill with:

IMEC V400

V-Fold S/SteelTowel Dispenser

Code Dimension (cm) Material 300-1342 26.6 (L) x 12.5 (W) Stainless Steel x 26 (H)



IMEC V650

V-Fold Towel Dispenser

Dimension (cm) Code Material 300-1338-00 ABS 25.5 (L) x 13 (W) ×33(H)



IMEC V750

V-Fold Towel Dispenser

Code Material ABS 300-1338

Dimension (cm) 27.5 (L) x 11.5 (W) x 38 (H)

Refill with: IMEC V-Pulp





Refill with:

IMEC HRT M-Cut

Auto Cut Paper Dispenser

Code Material 300-1340-00 ABS

Dimension (cm) 29.5 (L) x 22.5 (W) x 36.5 (H)





IMEC IFD 1000

Manual Foam Soap Dispenser

Code 300-1050 Material ABS

Dimension (cm) 11.5 (L) x 11.5 (W) x 24 (H)





300-1061 800 mi Hand Spray Sanitizer 300-1062 800 mi Spray Clean Sanitizer

IMEC ISD 1000

Manual Spray Sanitizer Dispenser

Refill with:

Code 300-1060 ABS

Material Dimension (cm) 11.5(L) x 11.5(W) x 24(H)

Disposable Bottle Refit with



300-1071-G 800 ml Hand Soap 300-1072-W 800 ml Hair & Body 300-1073 800 ml Medic Scap

IMEC IRD 1000

Code 300-1070 Material ABS

Dimension (cm) 11.5 (L) × 11.5 (W) × 24 (H)

Manual Liquid Soap Dispenser

- Unique and elegant design
- Comes with Open/Close button lock system
- Clear sight window for quick soap level check
- Push-to-discharge; only one simple motion is needed
- Disposable Refill Bottle System
 - Prevent bacteria growth in the dispenser as the disposable refill bottle will be disposed once liquid is finish use
 - No spilling & no leaking as compared to refilling liquid into dispenser





Capacity: 1000 ml

IMEC 525MS Medic Soap IMEC 525W Hair & Body Shampoo IMEC 525P / 525Y / 525G Hand Soan

Capacity: 1000 ml



Capacity: 1000 ml

IMEC IF 1001

Manual Foam Soap Dispenser

Code Material Dimension (cm) 300-1046-00 ABS 11.5 (L) × 11 (W) x 23 (H)

- Unique and elegant design
- · Clear sight window for quick soap level check
- Push-to-discharge; only one simple motion is needed

IMEC IR 1000P

Liquid Soap Dispenser with TOI Pump System

Code Dimension (cm) Material 300-1009-P ABS 12 (L) × 8.5 (W) × 22 (H)

(Impact Resistant)

- Compact leakage-free design
- · Easy Press dispenser button
- Highly durable with enhanced TOI Pump System for longer term usage
- · Quick and easy to refill
- Clear sight window for quick soap level check
- · Suitable for any bathroom, toilet, kitchen & laundry room

IMEC IS 1000V

Stainless Steel Liquid Soap Dispenser (Matt-Vertical)

Code Material Dimension (cm) 300-1010-V S/Steel 12.5(L) x 6(W) x 20(H)

- Functional and stylish leakproof free dispenser.
- Made of high quality corrosion resistant stainless steel
- · Comes with easy to press dispenser button and viewing window for easy level check
- · Equip with key lock system
- Easy to refill and clean
- Perfect for any washroom and kitchen







Capacity: 1000 ml

IMECIAF 1000

Auto Foam Soap Dispenser

Material Dimension (cm) 300-1045-00 13.2 (L) x 12.5 (W) x 26 (H)




Capacity: 1000 ml

IMECIASS 1000

Auto Spray Sanitizer Dispenser

Code Material Dimension (cm)



- Stylish design with curve surface, sensor type (touch free) and clear sight window for quick soap level check
- Amount of drips (1 3 drips) of liquid per time can be adjust (push the button accordingly inside the dispenser)
- LED light (outside of the cover) will light up once the battery power is low
- Use 6 AA batteries batteries lifetime 25,000 times to save energy (will differ depending on lifespan of the battery)



After Tobacco

Air Freshener Refill

AT/SC/VB/SP/WN/SU/AU

fragrance coverage area)

Code

300-1160-

Autumn Vanilla Bouquet

Citrus

IMEC NF 60 Natural Fresh

Summer

Spring

Packing

The revolutionary of IMEC NF60 Natural Fresh air freshener refill,

provides most effective odour control system

Natural Fresh is made from 100% natural fiber wick

±90 gm/can

@ 6 cans/box

@ 72 cans/ctn

TURAL FRESH



IMEC i-Fresh 5

Super Silent Intelligent Turbo Fan Air Freshener Dispenser

Code 300-1122 Dimension 11.5 (L) x 11.1 (W) x 22.9 (H) cm Material ABS Color White

- · Get rid of any unpleasant odours or bad smells
- · Save cost with its easy to operate Smart Switch which promotes energy saving and extend the lifespan of the dispenser.
- Mounted or free standing with its unique holder.

IMEC 202

Programmable battery operated dispenser

Refill with IMEC AR290 or IMEC AR300

Auto Aire Freshener Dispenser

Code

300-1102

 Refil with an assortment of Eco-Friendly IMEC NF60 Natural Fresh to keep your environment freshly fragranced all day for a premium scent experience.





IMEC AR290

Aerosol Can Air Freshener Refill Code Packing Fragrance ±260 gm/can Lemon 300-1129-LE @ 48 cans/ctn

- Aerosol can air refill
- · Non-toxic, non-polluting, non-ozone depleting aerosol
- Ideal for washroom, lobby, reception area, offices, halls or conference room
- Can use without air freshener dispenser (use dispenser for wider fragrance coverage area)



★ Up to 5000 Sprays

Fragrance

After Tobacco, Citrus.

Vanilla Bouquet, Spring,

Winter, Summer, Autumn

IMEC AR300

Aerosol Can Air Freshener Refill Packing Fragrance 300-1130-±265 gm/can Lemon, Lavender, LE/LV/SB/ @ 24 cans/ctn Sea Breeze. SL/VB/LG /DKNY Sparkling Lemon, Vanilla Bouquet.

Lemongrass, DKNY



IMEC 555

Aire Perfume Spray Freshener Code Packing 100-555 ±250 gm/can (a) 24 cans/ctn

- · Aerosol perfumed spray freshener
- · Ideal for washroom, lobby, reception area or conference room
- · Also suitable for cleaning telephone







Code



IMEC Urinefree

Scented Urinal Screen Code Fragrance

Packing 300-1134 Rose 1 pc/pack a 50 pcs/ctn


- Patent-pending bristle tecnology reduce splash back and protection to catch debris, cigarettes bud, etc
- Release fresh rose fragrance
- Flexible design to fit different design of urinal bowl

IMEC i-Fresh No Splash

Scented Urinal Screen

Code Fragrance Packing 300-1131 Rose 1 pc/pack a 50 pcs/ctn

- Patent-pending bristle tecnology reduce splash back and protection to catch debris, cigarettes bud, etc
- Release fresh rose fragrance
- Flexible design to fit different design of urinal bowl



IMEC Urinal Screen

Urinal Screen

Weight Code Packing 300-1402 ±100 gm/pc 10 pcs/pack @ 10 packs/ctn



IMEC DC 620F

Urinal Sanitizer with Flushing System Code: 300-1620F



IMEC DC 620D

Urinal Sanitizer with **Dripping System** Code: 300-1620D



IMEC D FLUID

Refill Sanitizer & Deodorant Fluid for IMEC DC 620F/D Code

300-1625-00

Packing 1L/bottle @ 12 Bottles/ctn



Baby Nursing Chair

Baby Nursing Chair Colour Dimension (cm) Code 1-026 Grey 34 (L) x 33 (W) ×51(H)

- Non-slip surface design
- Durable HDPE construction
- Foldable seat to save space
- No sharp edges to prevent any posible injury



Baby Changing Station

Baby Changing Station Code Colour Dimension (cm) 1-025-00 Grey 86 (L) x 58 (W) x 50 (H)

- Easy to clean HDPE moulded plastic
- Built-in adjustable safety nylon strap
- Easy to refill dual tissue
- Foldable table to save space



Koala Baby Changing Station

Baby Changing Station Code Colour Dime Dimension (cm) 89.4 (L) x 58.9 (W) 1-025 Beige x 46 (H)

- Antimicrobial protection
- Easy to reach hooks
- Built-in shelf and liner storage
- Meet all global safety standards (ASTM, ADA, EN)



Koala Baby Changing Station

Baby Changing Station Code Colour Dimension (cm) 1-025-V Beige 56 (W) x 90 (H)

- Antimicrobial protection
- · Easy to reach hooks
- · Built-in shelf and liner storage
- Meet all global safety standards (ASTM, ADA, EN)



IMECIE93

Auto Hand Dryer - Silent Dimension (cm) Power Code 300-1193-00 26.5 (L) x 17.5 (W) 1500 W x21(H)



IMEC IE 100 S

Auto Hand Dryer - Super Code Dimension (cm) 300-1210 26.5 (L) x 15.5 (W) x 21.3 (H)



Power

1500 W

IMEC IE 300 S

Auto Hand Dryer - Ultra Code Dimension (cm) 29.3 (L) x 17 (W) x 32 (H) 29.3 (L) x 17 (W) x 32 (H) 1 300-1220 2.300-1220-W

Power 1800 W 1800 W

(2)

Hands dryin 12 seconds



IMEC AJ6

Double Dry Jet Hand Dryer Code Dimension (cm) Power 29.5 (L) × 18.5 (W) 1200 W × 65 (H) 300-1222



IMEC S 1800

Sanitary Bin

Code Dimension (cm) Capacity 300-1800 17 (L) x 36 (W) x 54,5 (H) 18L

· Fit with L size garbage bag



IMEC S2200

Auto Sensor Sanitary Bin

Code Dimension (cm) Capacity 51.5(L)×14.5(W) 22 L ×54.4(H) 300-2200



MICROFIBER MOP







IMEC MF20 Microfiber Cloth (Value Pack)

Packing 5 p	cs/pack	
Code	Dimension (cm)	Colour
301-4020-G	40 × 40	Green
301~4020-Y	40 x 40	Yellow
301-4020-R	40 × 40	Red
301-4020-B	40 x 40	Blue
301-4020-W	40 × 40	White

IMEC MF40 Microfiber Cloth

Packing	5 pcs / pack	
Code	Dimension (cm)	Colour
301-4042	40 x 40	Green
301-4043	40 × 40	Yellow
301-4044	40 × 40	Red
301-4045	40 x 40	Blue
301-4046	40 × 40	White
301-4047	40 × 40	Brown

IMEC MFD Duo 40 Lint Free Microfiber Cloth

Packing 5 pc	s / pack	
Code	Dimension (cm)	Colour
301-4243-G	40 × 40	Green
301-4243-Y	40×40	Yellow
301-4243-R	40 × 40	Red
301-4243-B	40×40	Blue









Cleaning glass and mirror will be super easy with IMEC MFD Duo 40 dual side microfiber cloth



IMEC MFD350 Microfiber Dolly Round Mop

Code
301-2076-B-COM
301-2076-B
301-2076-R-COM
301-2076-R
301-2076-Y-COM
301-2076-Y
301-2076-G-COM

301-2076-G

Description

Dolly Mop Complete Set with Grey Aluminium Handle, Looped-End Dolly Mop Head Only, Looped-End

Dolly Mop Complete Set with Grey Aluminium Handle, Looped-End Dolly Mop Head Only, Looped-End

Dolly Mop Complete Set with Grey Aluminium Handle, Looped-End Dolly Mop Head Only, Looped-End

Dolly Mop Complete Set with Grey Aluminium Handle, Loopert-Find

Dolly Mop Head Only, Looped-End





Colour

Blue

Blue

Red

Red

Yellow

Yellow



IMEC HDM 25 Microfiber Duster

Code 301-1025 301-1026 High Microfiber Duster Set Microfiber Sleeve for HDM 25 Dimension (cm) 90.5 (L) 50 (L) x 7.5 (W)

Easy to use with ergonomic handle & trigger Time saving mop with 500ml water dispenser Detachable microfiber pad easy to wash (Washable) Optional: MFW40

IMEC SNM 40B Spray and Mop

Code Dimension (cm) 301-5547-B 40 (L) × 10 (W) × 150 (H)



MICROFIBER MOP









SMART CLEANING

IMEC MFS 300P Microfiber Strip Round Mop Head, Loop End

Code	
301-2077-P	UR
301-2077-P	UR-COM
301-2077-P	UR-COM-1
301-2077-B	LUE

301-2077-BLUE-COM 301-2077-BLUE-COM-1 301-2077-GRN

301-2077-GRN-COM 301-2077-GRN-COM-1

301-2077-YEL 301-2077-YEL-COM 301-2077-YEL-COM-1

Description

Microfiber Strip Looped Purple Mop Head Only
Microfiber Strip Looped Purple Mop H150 Complete Set
Microfiber Strip Looped Purple Mop H140 Complete Set
Microfiber Strip Looped Purple Mop Head With Blue Socket Only
Microfiber Strip Looped Purple Mop With Blue Socket H150 Complete Set
Microfiber Strip Looped Purple Mop With Blue Socket H140 Complete Set
Microfiber Strip Looped Purple Mop Head With Green Socket Only
Microfiber Strip Looped Purple Mop With Green Socket H150 Complete Set
Microfiber Strip Looped Purple Mop With Green Socket H140 Complete Set
Microfiber Strip Looped Purple Mop With Green Socket Only
Microfiber Strip Looped Purple Mop With Yellow Socket Only
Microfiber Strip Looped Purple Mop With Yellow Socket H150 Complete Set
Microfiber Strip Looped Purple Mop With Yellow Socket H150 Complete Set
Microfiber Strip Looped Purple Mop With Yellow Socket H140 Complete Set
Microfiber Strip Looped Purple Mop With Yellow Socket H140 Complete Set

Colour

Purple Purple Purple

Blue Blue

Blue

Green Green

Green

Yellow Yellow

Yellow

Colours code



IMEC Microfiber Pad Refill (40 cm / 60 cm)

		200
Code	Length (cm)	Colour
301-4440-G	40	Green
301-4440-B	40	Blue
301-4460-G	60	Green
301-4460-B	60	Blue



IMEC MFD 40/60 Dust Control Mop & MFW 40/60 Wet Mopping System

Cod	e
301	-4440-G-COM
301	-4440-B-COM

301-4440-B-COM 301-4460-G-COM 301-4460-B-COM

Description

MFD 40 Microfiber Dust Control Complete Set MFW40 Microfiber Wet Mopping Complete Set MFD60 Microfiber Dust Control Complete Set MFW60 Microfiber Wet Mopping Complete Set

Length (cm) Colour 40 Green 40 Blue 60 Green 60 Blue

Colours code



IMEC Microfiber Flat Mop

Code 301-3503-COM Description IMEC Microfiber Flat Mop Complete Set



Colour coded to prevent cross contamination



STATE OF THE PROPERTY OF THE PARTY OF THE PA

IMEC Microfiber Flat Mop Refill

Code 301-3504 Length (cm) 45 Colour Blue, Red, Yellow, Green



IMEC Flat Mop Folding Holder Only

Code 301-3502 Length (cm) 45



Looped-end mop prevent stuck when mopping chair, table, furniture

IMEC DW10 Dolly Round Mop

Code	Description	Colour
301-2073-B-COM	Dolly Mop Complete Set with Grey Aluminium Handle, Looped-End	Blue
301-2073-B	Dolly Mop Head Only, Looped-End	Blue
301-2073-R-COM	Dolly Mop Complete Set with Grey Aluminium Handle, Looped-End	Red
301-2073-R	Dolly Mop Head Only, Looped-End	Red
301-2073-Y-COM	Dolly Mop Complete Set with Grey Aluminium Handle, Looped-End	Yellow
301-2073-Y	Dolly Mop Head Only, Looped-End	Yellow
301-2073-G-COM	Dolly Mop Complete Set with Grey Aluminium Handle, Looped-End	Green
301-2073-G	Dolly Mop Head Only, Looped-End	Green
301-2073-W-COM	Dolly Mop Complete Set with Grey Aluminium Handle, Looped-End	White
301-2073-W	Dolly Mop Head Only. Looped-End	White

- Looped-End mop provide much more surface coverage with each stroke and delivers better cleaning result
- Will not leave any gaps or link while mopping
- Will not leave any gaps or min white in opporing
 More durable and longer lasting
 Save time as it can clean twice the surface area in half the time
 Mop head won't get stuck easily at the foot of table/chair
 Colour Coded for better hygiene standard







IMEC V115R



IMEC V115Y



IMECV1158



IMEC V115G



Plastic Clip for KV



Model	Code	Description	Colour
IMEC KV114	301-2013-COM	Kentucky Mop Complete Set with Grey Aluminium Handle, Cut End	White
IMEC V114	301-2014	Kentucky Mop Head Only, Cut End	White
IMEC KV115R	301-2020-COM	Kentucky Mop Complete Set with Grey Aluminium Handle. Looped End	Red
IMEC V115R	301-2021	Kentucky Mop Head Only, Looped End	Red
IMEC KV115Y	301-2026-COM	Kentucky Mop Complete Set with Grey Aluminium Handle, Looped End	Yellow
IMEC V115Y	301-2027	Kentucky Mop Head Only. Looped End	Yellow
IMEC KV115B	301-2022-COM	Kentucky Mop Complete Set with Grey Aluminium Handle. Looped End	Blue
IMEC V115B	301-2023	Kentucky Mop Head Only, Looped End	Blue
IMEC KV115G	301-2024-COM	Kentucky Map Complete Set with Grey Aluminium Handle. Looped End	Green
IMEC V115G	301-2025	Kentucky Mop Head Only, Looped End	Green
	301-2029	IMEC Plastic Clip for KV	Green, Blue, Yellow, Grey. Red

- Kentucky mop allows larger areas to be mopped in shorter period of time as compared to other mopping system
- Greater ability in picking up or laying down large amounts of liquid
 Colour Coded for better hygiene standard
- · Machine washable
- · Effective, yet economical for commercial and industrial applications





IMEC Dust Control Mop

Model	Code	Description	Length (cm)	Colour
IMECIDOS 60 TO	301-2360-COM	Cotton Sleeve Complete Set with Handle	60	White
IMECIDOS 60 TC	301-2361	Replacement Cotton Sleeve Only	60	White
IMECIDES 80 TC	301-2380-COM	Cotton Sleeve Complete Set with Handle	80	White
IMEC DCS 80 TC	301-2381	Replacement Cotton Sleeve Only	80	White






IMEC DCS 60 C Synthetic Sleeve Complete

IMEC Synthetic Dust Control Mop

Model	Code	Description	Length (cm)	Colour
IMEC DCS 60	301-2160-G-COM	Synthetic Sleeve Complete Set with Handle	60	Green
IMEC DCS 60	301-2161-G	Replacement Synthetic Sleeve Only	60	Green
IMEC DCS 60	301-2160-Y-COM	Synthetic Sleeve Complete Set with Handle	60	Yellow
IMEC DCS 60	301-2161-Y	Replacement Synthetic Sleeve Only	60	Yellow
IMEC DCS 60	301-2160-B-COM	Synthetic Sleeve Complete Set with Handle	60	Blue
IMEC DCS 60	301-2161-B	Replacement Synthetic Sleeve Only	60	Blue
IMEC DCS 60	301-2160-R-COM	Synthetic Sleeve Complete Set with Handle	60	Red
IMEC DCS 60	301-2161-R	Replacement Synthetic Sleeve Only	60	Red
IMECIDES 60 C	301-2160-BC-COM	Synthetic Sleeve Complete Set with Handle, Cut-End	60	Blue
IMEC DCS 60 C	301-2161-BC	Replacement Synthetic Sleeve, Cut-End	60	Blue
IMEC DCS 80	301-2180-B-COM	Synthetic Sleeve Complete Set with Handle	80	Blue
IMEC DCS 80	301-2181-B	Replacement Synthetic Sleeve Only	80	Blue
IMEC DCS 80	301-2180-R-COM	Synthetic Sleeve Complete Set with Handle	80	Red
IMEC DCS 80	301-2181-R	Replacement Synthetic Sleeve Only	80	Red



IMEC DCH 60 / 80 HD Plastic Frame

Code	Length (cm)
D 301-2669	60
Ø 301-2889	80

- Made of lightweight, non rust and strong aluminium for improved productivity
 Long handle is comfortable to use and easy to clean
 Easily maneuver your mop for a fast and efficient cleaning
 Ideal for professional cleaning, healthcare, foodservice, office buildings, education, manufacturing and heavy duty commercial use



IMEC DHH150 Aluminium Handle

Code Description 301-2088-Aluminium Handle B/G/GR/R/Y c/w Screw

Dimension (cm) 150

Colour Blue, Green, Grey, Red. Yellow



IMEC SRM15 Mop Bucket

 Code
 Description
 Capacity
 Colour

 330-1202
 Single Round Mop Bucket with 2 Compartment
 15 L (7.5 Leach)
 Grey

- · Removable centre partition in buckets to provide an option to separate clean & dirty water
- · Compact size for easy storage
- · Designed to effectively perform daily mopping task
- Made from highly durable Polypropylene plastic for longer lifespan
- · Ideal for small area cleaning



IMEC SP18 Mop Bucket c/w Side Press Wringer


Code Description Capacity Colour 1-064 Mop Bucket with Wringer 20 L Grey



IMEC SDP26 Single Bucket c/w Down Press Wringer

Model	Code	Capacity	Colour
IMEC SDP 26R	330-1203-R	25 L	Red
IMEC SDP 26G	330-1203-Gm	25 L	Green
IMEC SDP 25Y	330-1203-Y	25 L	Yellow
IMEC SDP 26B	330-1203-B	25 L	Blue

- Colour coded bucket, wringer and hand grip prevents cross-contamination
- . Molded-in wave brake bucket helps to reduce splashing under typical usage
- Ergonomic design of the bucket helps pouring with less spillage
- · Ideal use for restaurants, kitchens, offices etc





Cyde Dry Side Press Walla

- Suitable to use with



















IMEC Utility Single Bucket c/w Side Press Wringer

Code Capacity Colour Model IMEC SP 21 1-058 Yellow 24 L IMEC SP 30 1-055 301 Yellow IMEC SP 31 1-063 36 L Yellow





IMEC PB50







DOUBLE MOP BUCKET

IMEC Premium Single Bucket c/w Down Press Wringer

Model Code Capacity Colour IMEC PB 35 330-1206 35L/15L Yellow IMEC PB 50 330-1208 35L/15L/4L Yellow

- · Equipped with Dirty Water Bucket to separate dirty water from clean water for a more hygienic mopping system
- Produce cleaner and less slippery floors
- Comes with quiet castor wheels and no spill pouring spout



	Model	Code	Capacity
(1)	IMEC TMP 25/25	330-1225	2×20L
12	IMEC TMP 28/28	330-1230	2×15L

Code Capacity

2×9L

1-054





Dry your floor faster with this cute size IMEC PP30F foam type floor squeegee in small area



Organizer Kit

Model	Code	Description
IMEC BM03	1-040-00	3 Holders & 3 Hooks Organizer Kit
IMEC BM04	1-042-00	4 Holders & 4 Hooks Organizer Kit
IMEC BM60	1-038	4 Holders & 3 Hooks Organizer Kit
IMEC BM92	1-039	6 Holders & 5 Hooks Organizer Kit.

Floor Squeegee

Model	Code	Description
(1) IMEC PP30F	1-123-COM	Push & Pull Floor Squeegee 30cm
② IMEC PP22	1-034	Push & Pull Floor Squeegee 22"
		Aluminium Complete
3 IMEC PS22	1-037	Push Steel Curve Rubber Squeegee 22
		with Handle





- Made of strong stain resistant reinforced materials
 Multipurpose expert quality 6 pockets tool pouch for tools and small items
 Lightweight & comfortable to wear
 Adjustable waist belt to suitable for everyone
 Convenient quick release buckle



IMEC Spray Gun

Product Code Description Capacity 308-0500C Spray Bottle 500 ml

IMEC M6 Tool Belt

Code Description 1-095 Mobile Tool Belt Material Nylon, PVC. Dacron

IMEC Clip Reacher

Code Description ① 308-8769-00 IMEC Multipurpose Clip Reacher - 40 cm Device with Handle 308-8770-00 IMEC Multipurpose Clip Reacher - 70 cm

Device with Handle 3 308-8772 IMEC Multipurpose Clip Reacher - 88 cm Device with Handle

(4) 308-8771-00 IMEC Multipurpose Clip Reacher - 100 cm Device with Handle



STEP STOOL





Max weight: 200kg

IMEC MPC 36

Code Description 1-036 Multipurpose Clips 18 x 19

IMEC TS13 Step Stool

Code 1-121 Description Two Step Mobile Step Stool

Dimension (cm) 40.5(D) x 34 (H)



IMEC TS17 Step Stool

Code Description 1-122 Two Step Folding Step Stool

Dimension (cm) 47 (L) x 49 (W) x 58 (H)

Lobby Dust Pan

Code Description

1-062-00 IMEC LDP PRO - Lobby Dust Pan w/ Clip and Handle Grip c/w Cover

2 1-062-1 IMEC Broom - Broom for LDP Pro 308-8006 IMEC Broom - Lobby Broom 20cm 3

4 1-066 IMEC LDP PLUS - Lobby Dust Pan c/w Cover

5 1-065-1 IMEC BROOM for LDP PLUS



Recomended to use with:

JT2000

• JT Compact 40 / 50

Recomended to use with:

JT2000

JT Compact 40 / 50

Recomended to use with:

JT2000

Wiping Bucket

330-1906-R

JT Compact 40 / 50

IMEC CCB-X

Cleaning Caddy Bucket Dimension (cm) Code

1-056-X 28.7 (L) x 23.8 (W) × 15 (H)

IMEC CCB

Cleaning Caddy Basket Code Dimension (cm) 1-056 38.5 (L) × 27.5 (W) x 17 (H)

IMEC 6L Bucket

Color Code 330-1906-B Blue 330-1906-G Green 330-1906-Y Yellow

Red

CADDY BUCKE



IMEC TCB170

Truck Cleaning Brush with Extension

Code 308-8008

Color 25 (L) x 8.5 (W) x 100 (H)

- · Super soft, blue flagged bristles for better washing and scrubbing and not scratch the surface
- . The Tri-design makes it able to scrub hard to reach areas
- Distribute water evenly and built in water inlet switch

IMEC FS 18

Heavy Duty Floor Sweep Brush with Handle

Code Color 308-8007 44 (L) x 6 (W) x 157 (H)

- Heavy duty polyproplene bristles
- · Bending resistant provides long term use
- · Cover larger area



IMEC WB24

Window Bucket c/w Wheel Code Dimension (cm)

51.4(L) x 33(W) x 25.7 (H)

Capacity 20L

Product Code 1-030

Description Window Cleaning Complete Set

IMEC C10 Window Cleaning



Telepole

Model Dimension (m) Code IMEC T20 1-090 2 x 0.6m IMEC T21 1-091 2 x 1.25m IMEC T22 1-092 2 x 2m IMEC T32 IMEC T33 1-093 $3 \times 2m$ 1-094 3 x 3m

1-035

BROOM & DUST PAN

BRUSH

WINDOW CLEANING

TOOLS & EQUIPMENT







IMEC S14 Window Squeege

IMEC W14 Window Strip Washer

IMEC FW 40 Floor & Window Scraper

Code 1-031-00-B 1-031-00-B-1 Description Length (cm)
Window Squeegee 35
IMEC Replacement 35
Rubber

Code 1-032-00 1-032-00-1 Description Length (cm)
Window Strip Washer 35
IMEC Replacement 35
Sleeve

Code Description 1-033 Floor and Wir

1-033-1

Floor and Window Scraper IMEC Replacement Knife (10pcs/bag)

- Multipurpose, functional and presentable for use in any commercial premises
- Metal safe box provides safe storage of items and can be use as general storage
- · Light and easy to maneuver







IMEC JT 2000 Janitor Trolley

Code ① 1-061-00

2 1-061-00-BLK

Dimension (cm) 96.5 (H) x 112.5 (L) x 47 (W) 130 (L) x 55 (W) x 100 (H) Colour Grey

Black

Optional Accessories for IMEC JT 2000

Code 330-1600-2 Description Metal Safe Compartment with Key Lock for JT2000 Colour Black



IMEC JT Compact 40 Janitor Trolley

 Janitor Cart Trolley c/w Double Bucket & Wringer

 Code
 Dimension (cm)
 Colour

 330-1940
 130 (L) × 55 (W) × 100 (H)
 Black



Optional Accessories for IMEC JT Compact 40

 Code
 Description
 Colour

 330-1600-2
 Metal Box
 Black

 330-1950-1
 Canvas Linen Bag w/ 6 Pockets
 Grey

- · Enclosed trolley with lockable door
- · Looks neat for more professional cleaning service
- · Comfort grip cart handle
- Quiet & easy glide wheels







IMEC JT Compact 50 Janitor Trolley

Janitor Cart Trolley c/w Double Bucket & Wringer

 Code
 Dimension (cm)
 Colour

 330-1950-COM
 130 (L) x 55 (W) x 100 (H)
 Black





Optional Accessories for IMEC JT

IMEC JT Compact 9 Janitor Trolley

Janitor Cart with Key Lock System

Code Dimension (cm) 330-1900 100 (L) x 55 (W) x 120 (H) Colour Black

Compact 9 Code Description

330-1911-1

Replacement canvas linen bag with 6 pack for Compact 9 and Compact 11 Colour Black





IMEC JT Compact 11 Janitor Trolley

Janitor Cart with Key Lock System

 Code
 Dimension (cm)
 Colour

 330-1911-COM
 60 (L) x 126 (W) x 140 (H)
 Black

Optional Accessories for IMEC JT Compact 11

Code 330-1911-1 Description Replacement canvas linen bag with 6 pack for Compact 9 and Compact 11 Colour Black

- Comes with 2 x 6L buckets and 2 x 15L double bucket
- Choice of down press wringer (MX100, MX303) or roller wringer (MX100R, MX303R)
- . (MX100) Smaller unit with four wheels for smooth and easy maneuverability
- . (MX100) Rubber tool grips to hold handles securely
- (MX303) Full size cabinet offers bigger storage space
- (MX303) Fully enclosed multi-functional trolley with lockable door
 (MX303) Non-marking wheels for easy maneuverability
- (MX303) Highly recommended for commercial buildings, airports, hotels, hospitals and colleges



IMEC MX 100 Multi-Function

Code 330-1100 330-1100-RW-COM 56 (L) x 83 (W) x 105 (H)

Dimension (cm) 56 (L) x 83 (W) x 105 (H)

IMEC MX 330 / MX 303R Multi-Function Trolley

Code	
330-2	303
330-2	303-RW

Dimension (cm) 52 (L) x 110 (W) x 105 (H) 52 (L) × 110 (W) × 105 (H)



IMEC ESX 240/EX



IMEC SSX 240/SS



IMEC SSL 303/SS



IMEC SSL 304/5S



IMEC ESX 300/EX



IMEC FG500

Linen Trolley

Model	Code	Description	Dimension (cm)
IMEC ESX 240/EX	302-0239	Epoxy Linen Trolley with Canvas Bag	76(L) x 55 (W) x 95 (H)
	302-9240	Canvas Bag for Linen Trolley ESX 240 & SSX 240	-
IMEC SSX 240/SS	302-0240	Stainless Steel Linen Trolley With Canvas Bag	76(L) x 55 (W) x 95 (H)
IMEC SSL 303/SS	302-0303	Stainless Steel Sorting Linen Trolley c/w 3 Canvas Bag	112 (L) x 53 (W) x 95 (H)
IMEC SSL 304/SS	302-0304	Stainless Steel Linen Trolley c/w Canvas Bag	92 (L) × 68 (W) × 80 (H)
	302-9304	Canvas Bag for SSL 304 Linen Trolley	•
IMEC ESX 300/EX	302-0233	Epoxy Linen Trolley with Polyester Bag	69 (L) × 69 (W) × 107 (H)
	302-0233-1	Replacement Polyester Bag for ESX 300/EX, Blue	Entransient of the control of the co
IMEC FG500	303-7500	Fiberglass Laundry Trolley	97(L)×67(W)×84(H)



IMEC LH 300/SS

Code 302-0300

Description Stainless Steel Linen Hanging Trolley

Dimension (cm) 121.9 (L) × 40.5 (W) × 182.8 (H)



IMEC CLT 800/EX

Code 302-0130


Description Epoxy Wire Mesh Clean Linen Trolley Dimension (cm) 72 (L) × 53 (W) × 173 (H)

- Ergonomic and lightweight housekeeping solution
- High capacity to keep more cleaning accessories



Housekeeping Trolley

Model	Code	Description
IMEC HK 1515	1-065	Housekeeping Cart with Door
	1-065-1	IMEC Replacement Bag for IMEC HK1515
	1-065-5	IMEC Management Organizer for HK1515
	1-065-6	IMEC Glass Rack 36 Compartment for HK1515
IMEC HKT 1010/SS	302-1299	Fully Stainless Steel Room Maid Service Trolley (Small)
IMEC HKT 3030/SS	302-1300	Fully Stainless Steel Room Maid Service Trolley (Large)
	302-9530	Side Bag (Large) for HKT 3030 Trolley
	302-9531	Side Bag (Small) for HKT 3030 Trolley



Dimension (cm)



IMEC BBT 402/SS

Stainless Steel Bell-Boy Hand Truck

Code

302-0402

IMEC BBT 403/SS

Stainless Steel Bell BoyTrolley c/w Carpet



Dimension (cm) 63 (L) x 40 (W) x 116 (H)



Stainless Steel Baggage Trolley c/w Carpet & Bumper

Code 302-0400 Dimension (cm) 114 (L) × 57 (W) × 182.8(H)



IMEC FLS 700/SS

Stainless Steel Folding Luggage Stand Code Dimension (cm) 302-0700 60 (L) × 50 (W) × 60 (H)



Dimension (cm)

63 (L) x 40 (W) x 116 (H)

IMEC STS 702/SS

Stainless Steel Service Tray Stand Code Dimension (cm) 302-0702 60 (L) x 50 (W) x 86 (H)

IMEC BCT 404/SS

S/Steel Birdcage Garment Trolley c/w Carpet

Code 302-0404 Dimension (cm)

116 (L) x 65 (W) x 190 (H)



ROLLEY



IMEC BC10 - A

Baby Chair with Tray (Adjustable)

Dimension (cm) Code 1-021-A 58.3 (L) x 63.4 (W) x 86.8 (H)

Colour Grey

IMEC TH3 Mobile Trolley

Three Position Mobile Trolley, Structural Foam

Dimension (cm) Code 1-112 51 (L) x 78(W) x 94.5 (H)







IMEC PLT 1002/SS

Stainless Steel Platform Trolley Code Dimension (cm) 302-1002

80 (L) x 60 (W) x 86 (H)

IMEC 2TT 1104/SS

Stainless Steel Transport 2 Tiers Holder Code Dimension (cm) 502-1104 915(1)x61(W)x91.5(H)

IMEC 3TT 1102/SS

Stainless Steel Transport 3 Tiers Holder Code Dimension (cm) 302-1102 91.5 (L) x 61(W) x 91.5 (H)









IMEC 3T6B

Code Dimension (cm) 330-1536 103 (L) x 50.5 (W) x 95 (H) Grey

IMEC Pro 3TT

Colour Code Dimension (cm) 1-059 111.5 (L) x 52.4 (W) x 94 (H)

Optional Accessories

Colour Model IMEC RB 1 IMEC RB 3 Black IMEC TB7X

Code 1-059-5 1-059-6

Description Refuse Bin (S) Refuse Bin (L)

Dimension (cm) Colour 33 (L) x 23 (W) x 26 (H) Black 33 (L) x 23 (W) x 55 (H) 1-051-7X Tote Box - Plate 53 (L) x 38 (W) x 15 (H) Grey

Black



IMEC 3TT & 3TT-X Utility Cart

Code 1 1-051-00-BLK 2 1-051-X-BLK

Dimension (cm) 102 (L) x 50 (W) x 96 (H) 83 (L) x 41 (W) x 95 (H)

Colour Black Black

Optional Accessories for IMEC 3TT, 3TT-X & Pro 3TT

Model Code IMEC RB 1 1-059-5 MEC RB 3 1-059-6 IMEC TB7X 1-051-7X Description Refuse Bin (S) Refuse Bin (L) Tote Box - Plate Dimension (cm) 33 (L) x 23 (W) x 26 (H) 33 (L) x 23 (W) x 55 (H) 53 (L) x 38 (W) x 15 (H)

Colour Black Black Grey

- · High quality brand of commercial and industrial cleaning products
- · Clean surfaces without scratching
- · Available in different sizes and colours for specific application














IMEC Floor Pad

Code	Description	Size	Packing
333-10131	IMEC Black Pad	15"	5pcs/Box
333-10134	IMEC Red Pad	13"	5pcs/Box
333-10135	IMEC White Pad	13"	5pcs/Box
333-10161	IMEC Black Pad	16"	5pcs/Box
333-10164	IMEC Red Pad	15"	5pcs/Box
333-10165	IMEC White Pad	16"	5pcs/Box
333-10163	IMEC Green Pad	16"	5pcs/Box
333-10171	IMEC Black Pad	17"	5pcs/Box
333-10174	IMEC Red Pad	17"	5pcs/Box
333-10184	IMEC Red Pad	18"	5pcs/Box
333-10201	IMEC Black Pad	20"	5pcs/Box
333-10204	IMEC Red Pad	20"	5pcs/Box
333-10205	IMEC White Pad	20"	5pcs/Box





Use with manual scrubber machine



IMEC Bonnet Pad

IMEC Bonnet Pad with Green Stripes

 Code
 Size
 Weight (g)

 533-12267
 17°
 640



Remove soil, grease
 finish build up
 Rinse free

3M Trouble Shooter

3M Hard Floor Maintenance

Code 400-12313 Packing 12 Cans/Ctn 21 oz

Capacity



3M Stainless Steel Polish Cleaner

3M Stainless Steel Polish Cleaner

Code 400-12318 Packing 12 Cans/Ctn 21 oz

Capacity









3M # 96

General Purpose Scouring Pad Code Dimension Packing 10 Pcs/Box 400-19096 6"x9"



General Purpose Pad Dimension Code 400-19650 3"×4.5"

Packing 80 Pcs/Box

3M # 98

Light Duty Cleaning Pad Dimension Code 400-19098 6"x9"

3M # 9030

Light Scrubbing Pad Code Dimension 400-19030 3.5"×5"

Packing 40 Pcs/Box



Brown Pad

Code 333-10410-BRN

Dimension (mm) 120 x 250

Packing 5 Pcs/Box



IMEC ES 410

Upright Pad Holder Only

Code 333-20411



IMEC ES 41

Upright Pad Holder with 1 pc Brown & 1 pc White Pad Code 333-10400-BRNW



Packing

10 Pcs/Box

IMEC 410 W

White Pad

Code Dimension (mm) 333-10410-W 120 x 250

Packing 5 Pcs/Box



IMEC ES 410H

Hand Block Handle

Code 333-20412



IMECES 41H

Hand Block Holder Set with 1 pc Brown & 1 pc White Pad Code 333-10401-BRNW

BUILDING SERVICES PRODUCT





*Optional: *Suitable for **S** ashtray 🏫 indoor 🔆 outdoor 🍘 fire resistance

- · Comprehensive range of functional yet aesthetic models
- · Ideal for offices, restrooms, shopping malls, restaurants and other public location
- · Ash-trash function, permanently attached or left unattached for easy emptying
- · Standing bins designed for convenient waste management







IMEC PE 075

Free Standing Round Bin Code Dimension (cm) 303-7733 107 (H) x 43 (W)

Calour Refer above

IMEC PE 150

Free Standing Round Bin Code Dimension (cm) 303-7734 112 (H) x 58 (W)

Colour Refer above

IMEC PE-120

Waste Standing Bin c/w PE Inner Liner Dimension (cm) Colour 303-7740 102 (H) x 82 (W) Refer above



Capacity: 130L





IMEC PE-P130

Waste Standing Bin c/w PE Inner Liner & Stainless Steel Ashtray Bowl

Code 303-7741

Dimension (cm) 112 (H) x 61 (W)

Colour Refer above

IMEC PE-P150

Waste Standing Bin c/w PE Inner Liner

Code 303-7743 Dimension (cm) 58 (W) x 114(H)

Colour Refer above

A:0: \

IMEC PE-P140

Waste Standing Bin c/w PE Inner Liner

Code Dimension (cm) 303-7742 107 (H) x 61 (W)

Colour Refer above

A 0 5



IMEC PE 100-H

100L Round Standing Bin w/ PE Inner Liner & Flat Ashtray

Code 303-7791 Dimension (cm) 45.5 (Dia.) x 100 (H)

Colour Referabove



IMEC PE 85-A

85L Round Standing Bin w/ Ashtray Bowl & Inner Liner

Code Dimension (cm) Colour 303-7723 44 (Dia.) x 100 (H) Refer above






Capacity: 85L

IMEC PE 85-D

Round Standing Bin w/ Inner Liner

Code 303-7722

Dimension (cm) Colour 45 (Dia.) x 101 (H) Referabove











*Optional

ashtray

IMEC PE M100 & P 100SS

Round Standing Bin w/ Open Top Code 303-7721

Dimension (cm) Colour 83 (H) x 39 (D) Refer above

IMEC PE 85

Round Standing Bin Code

Dimension (cm) Colour 102.5 (H) x 48 (W) 303-7720 Referabove

IMEC PE 55

Round Standing Bin Code Dimension (cm) 303-7719 86.5 (H) x 43 (W)

ndoor - outdoor fire resistance

*Suitable for:

Colour Refer above





Capacity: 50L / 120 L







Capacity: 50L/120L

IMEC PE 050 & PE 120

Free Standing Bin

Code 303-7730-B/G/GRN 303-7731-B/G/GRN/R

Dimension (cm) 38 (L) x 38 (W) x 78.5(H) 50.5 (L) x 50.5 (W) x 104(H)

Colour Refer above

Refer above

IMEC PE 60, PE 80, PE 100

Waste Litter Bin

Dimension (cm) 303-7760 62.5 (H) x 45 (W) 303-7780 65 (H) x 50 (W) 303-7790 70 (H) x 55 (W)

Colour Refer above Refer above Refer above

STEP-ON BIN

IMEC PE 50 & PE 120S

Flap Rubbish Bin

Dimension (cm) 303-7718 38(L) x 38(W) x 78.5(H) Referabove 303-7732 50.5 (L) x 50.5 (W) x 104 (H) Refer above



IMEC MC 120

Mobile Container Cart 120L c/w Dolly & Lid

Code Dimension (cm) Colour 1-044-00 82 (H) x 55 (W)



Capacity: 250L

IMEC PE 250

Chute Bin

Code Dimension (cm) Colour 303-7799 66 (L) x 66 (W) x 86 (H) Referabove



Capacity: 30L/45L/68L/88L

IMEC ST 30, ST 45, ST 68, **ST 88**

Step-On Bin

Code **1-083-00** @ 1-084-00 @ 1-086-00

@ 1-088-00

Dimension (cm) 41 (L) × 39 (W) × 42 (H) 41 (L) x 39 (W) X 59 (H) 48 (L) x 41 (W) X 65 (H)

48 (L) x 41 (W) X 82 (H)

Grey Grey Grey Grey

Color

WHEEL BIN

Two Wheel Bin

Code

303-7120

303-7240







Keep Your Environment Free from Smelly Odour, Cockroaches & Flies
Tough & Puncture Resistant Heavy Duty Plastic Construction won't Rust or Chip





A O





IMEC STEP 100, 120 & 240

Heavy Duty Step-On Two Wheel Bin

Model	Code	Dimension
STEP 100	303-7105-G	48 (L) x 55
STEP 120	303-7125	55.5 (L) x 4
STEP 240	707-7746	77.50 1 2 5

n (cm) (W) x 85 (H) 47.6 (W) x 95.7 (H) 73.5 (L) x 58 (W) x 101 (H)

Capacity Colour 100L Grey 120L Green 240L Green





IMEC GMT 120 & GMT 240

Dimension (cm)

48 (L) x 55 (W)

58 (L) x 73 (W)

x 94 (H)

x 101 (H)

Capacity: 120L / 240L

IMEC. Capacity: 360L

IMEC GMT 360

Two Wheel Bin

Code Dimension (cm) Colour 303-7360 70 (L) x 76 (W) x 115 (H) Green



IMEC MGB 660 / 1100

Four Wheel Bin

Code	Dimension (cm)
303-7660	125 (L) × 77.5 (W) × 117.5 (H)

Green/ Orange 303-1100 103 (L) x 139.5 (W) 130 (H) Green

Colour



Colour

Green/

Orange

Green/

Blue/ Orange

Blue/



IMEC BB1000

Polyethylene Four Wheel Bin w/ Cover & Handle

Dimension (cm) Colour 303-7800 149 (L) x 84 (W) x 102 (H) Light Green



IMEC BB1100

Polyethylene Four Wheel Bin c/w Metal Frame, Lifter Dump Truck

Code Dimension (cm) 303-7900 201 (L) x 140 (W) x 115 (H) Green



IMEC PE 16

Round Ashtray Bin

Code Dimension (cm) 303-7710 60 (H) x 25 (W)

Colour Blue/Black Grey/Light Blue Green/Light Green Orange/Brown Red/Yellow

Capacity: 26L

IMEC PP26

Classic Round Ashtray Bin

Code Dimension (cm) 303-7820 60 (H) x 27 (Dia.)

Colour Black



IMEC PE 45

Semiround Bin

Code Dimension (cm) 303-7711 50 (L) x 25 (W) x 75 (H)

Colour Black/Yellow Blue/Light blue Brown/Green Light green/Grey Orange/Red/



IMEC FG6

Fiberglass Semiround Ashtray Bin Code Dimension (cm)

303-7890 50 (L) x 25 (W) x 75 (H)

Colour Black & White



IMEC PP35 & PP55

Flip Rubbish Basket

Model Code Dimension (cm) Colour © PP35 303-7835 315(L) x 31.5 (W) Grey x 54 (H) @ PP55 303-7855 39 (L) x 38 (W) Grey

×87 (H)



IMECUT 26 & UT 39

Untouch Wastebasket

Model Code Dimension (cm) Colour @UT 26 1-045 27 (L) x 37 (W) Grey x 52 (H) @UT 39 1-046 30 (L) × 40 (W) Grev x 66 (H)



IMEC PP060

Flip Top Waste Bin

Code Dimension (cm) 303-7860 46 (L) x 33 (W) x 75 (H)

Colour Grey



Capacity: 8L / 14L

IMEC PP13 & PP14

Room Bin

Model Code Colour Dimension (cm) @ PP13 303-7813 21 (H) x 29.5 (D) Grey @ PP14 303-7814 27.5 (L) x 21 (W) Grey x 31.5 (H)



Capacity: 9L / 12L

IMEC SB9/SS IMEC SB11/S

Stainless Steel Room Bin w/ Hairline Finish

Dimension (cm) Model Code 305-7912 SB9/SS 25(H) x 21(D) SB11/SS 305-7917 28 (H) x 24(D)



Capacity: 8L / 12L

IMEC SB9/PC IMEC SB11/P

Stainless Steel Room Bin Covered w/ Powder Coating (Black)

Model Code SB9/PC 305-7911 SB11/PC 305-7916 Dimension (cm) 25 (H) x 21 (D) 28 (H) x 24(D)

ROOM BIN



Capacity: 9L / 11L

IMEC SB9/PVC & IMEC SB11/PVC

Stainless Steel Room Bin Covered with PVC (Brown/Maroon)

Model SB9/PVC SB11/PVC Code 305-7910 305-7915 Dimension (cm) 25 (H) x 21 (D) 28 (H) x 24 (D)

 ≥ 60



Capacity: 10L

60

IMEC RB 911

S/Steel Black Powder Coated Double Layer Room Bin

Code Dimension (cm) 305-8345-2-BLK 22.5 (D) x 27.5 (H)



*Optional:

IMEC GMA3

Ground Mounted Ashtray Bin

Code Dimension (cm) 305-7977 20 (L) x 20 (W) x 102 (H)



Capacity: 3L



Capacity: 15L / 22L



Capacity: 31L

IMEC WMA2

Wall Mounted Ashtray Bin

Code 305-7976 Dimension (cm) 11(L) x 20(W) x 30(H)

IMEC SS 24/ SS 31

Stainless Steel Square Ashtray / Flat Top Bin

Model Code SS24 305-7940 305-7950 SS31

Dimension (cm) 26.5 (L) x 26.5 (W) x 60 (H) 26.5 (L) x 26.5 (W) x 76 (H)

IMEC SF 30

Stainless Steel / Black Powder Coated (Body) Rectangular Flap Top Bin

Dimension (cm) Code @305-7960 38 (L) x 23 (W) x 75 (H) @305-7960-BLK 38 (L) x 23 (W) x 75 (H)



IMEC SS 31L

Stainless Steel Rectangular Ashtray / Flat Top Bin

Code 305-7951 Dimension (cm) 40 (L) x 30 (W) x 76 (H)



IMEC SS 31L

S/Steel Rectangular Open Top / Ashtray 1/3 & Open Top 2/3

305-7951-AO

Dimension (cm) 40 (L) x 30 (W) x 76 (H) 305-7951-TO 40 (L) x 30 (W) x 76 (H)



IMEC SR 24 / IMEC SR 31

Stainless Steel Round Ashtray Dome Top Bin

Model	Code	Dimension (cm)
SR 24	305-7924	24.5 (D) x 61 (H)
SR 31	305-7931	245(D)×76(H)

A (P)





STAINLESS STEEL BIN



Capacity: 47L



Capacity: 53L

A (A)

IMEC SR 24C / IMEC SR 31C

Stainless Steel Round w/ Open Top Bin

Model Code SR 24C 305-7923 SR 31C 305-7930 Dimension (cm) 24.5 (D) x 61 (H) 24.5 (D) x 76 (H)

IMEC SR 31F

Stainless Steel Litter Bin c/w Flip Top

Code Dimension (cm) 305-7935 34.5 (D) x 78.5 (H)

IMEC SR 1933F

Stainless Steel Punched Round Bin with

w/ Flip Top

Code Dimension (cm) 305-8340P-FF 48 (D) x 83 (H)



IMEC SR 1530

Stainless Steel Round Ashtray / Dome Top Bin

Code © 305-7936 © 305-7936-D Dimension (cm) 38 (D) x 76 (H) 39 (D) x 76 (H)



IMEC SR 1530C

Stainless Steel Round with Open Top Bin

Code 305-7937 Dimension (cm) 39 (D) x 76 (H)



Capacity: 5L / 10L / 22L / 29L

IMEC SRS 0811 / SRS 1013 / SRS 1018 / SRS 1024

Stainless Steel Round Step Bin

 Model
 Code
 Dimension (cm)

 SRS 0811
 305-7964
 20.5 (D) x 29.5 (H)

 SRS 1013
 305-7968
 25 (D) x 35 (H)

 SRS 1018
 305-7970
 25 (D) x 45 (H)

 SRS 1024
 305-7974
 25 (D) x 61 (H)







IMEC SSR 14C / IMEC SSR 18C

Stainless Steel Semi-Round Bin w/ Open Top

Model Code Dimension (cm) SSR 14C 305-7953 34.5 (L) x 17 (W) x 66 (H) SSR 18C 305-7957 45.7 (L) x 22.7 (W) x 76 (H)



Capacity: 22L / 42L

IMEC SSR 14AC / IMEC SSR 18AC

Stainless Steel Semi-Round Bin w/ Ashtray 1/3 & Open Top 2/3

 Model
 Code
 Din

 SSR 14AC
 305-7954
 34.3

 SSR 18AC
 305-7956
 45.3

Dimension (cm) Model 34.5 (L) × 17 (W) × 66 (H) SSR 14 45.7 (L) × 22.7 (W) × 76 (H) SSR 18



Capacity: 14L / 28L

IMEC SSR 14 / IMEC SSR 18

Stainless Steel Semi-Round Bin Ashtray

Code Dimension (cm) 305-7955 34.5 (L) x 17 (W) x 56 (H) 305-7959 45.7 (L) x 22.7 (W) x 76 (H)





0



*Optional:

shtray

IMEC UT26R

Recycling System, Medium

Code @303-7826-3R @303-7826-4R @303-7826-3+1R

Dimension (cm) 27 (L) x 37 (W) x 52 (H) 27 (L) x 37 (W) x 52 (H) 30 (L) x 40 (W) x 66 (H) \$303-7826-3R+ST 41.2 (L) x 39.4 (W) x 42.4 (H)

Capacity 3 x 26L 4×26L 3 x 26L + 39L 3 x 26L + 30L

IMEC UT39R

Recycling System, Large

Code @303-7839-3R @303-7839-4R Dimension (cm) 30 (L) x 40 (W) x 66 (H) 30 (L) x 40 (W) x 66 (H)

🏫 indoor 🔆 outdoor 🍘 fire resistance

Capacity 3 x 39L 4×39L











IMEC ST30R

Recycling System

Code

Dimension (cm) Capacity 303-7883-3R 41.2(L) x 39.4(W) 3 x 30L × 42.4 (H)

IMEC ST45R

Recycling System

Code Dimension (cm) Capacity 303-7884-3R 41.2(L)×39.4(W) 3×45L × 58.9 (H)

IMEC ST68R

Recycling System

A (A)

Code Dimension (cm) 303-7886-3R 48 (L) x 41.6 (W) × 65.1 (H)

Capacity 3×68L

10-











IMEC ST88R

Recycling System

Code Dimension (cm) 303-7888-3R 48 (L) x 41.6 (W) x 82.6 (H)

Capacity 3×88L

IMEC SF30R

Flip Top Recycling Bin

Code Dimension (cm) Capacity 305-7961-4R 38(L)×23(W) 4×31L ×75 (H)

IMEC PE 150R & IMEC PE 360R

Recycling Bins

Model Code PE 150R 303-7776R

PE 360R 303-7777R

Dimension (cm) Capacity 38 (L) x 38 (W) 3 x 50L x 78.5 (H) 50.5 (L) × 50.5 (W) 3 × 120L x 104 (H)



IMEC RCB2 / IMEC RCB3 / IMEC RCB4

Colour Recycling Station

Model Code RCB2 303-7620 RCB3 303-7630 303-7640

Dimension (cm) 78 (L) x 40 (W) x 80 (H) 118 (L) × 40 (W) × 80 (H) 158 (L) × 40 (W) × 80 (H) Capacity 2×100L 3×100L 4×100L



IMEC MGT 120R / 240R

Recycling Two Wheels Bin c/w Lid Locks for Special Feed Open

Code ⊕303-7332 @303-7333 Dimension (cm) 55 (L) x 47 (W) x 107 (H) 57.5 (L) × 72.5 (W) × 92.5 (H)

Capacity 3 x 120L 3×240L

HE NEW INNOVATIVE RECYCLE BINS

IMEC MGT 120R/240R

REDUCE • REUSE • RECYCLE

RECYCLE BIN

@Reduce Pollution

Save Energy

Reduce Harmful CO² Emission

Save Cost

Save Natural Resources

WHY YOU SHOULD INCORPORATE RECYCLE

PROGRAMME INTO YOUR FACILITIES



REDUCE

Cut down the waste you produce!



REUSE

Instead of throwing things away, find ways to use them again!



RECYCLE

Segregate your waste by categories (Aluminium, Paper, Plastic, Glass, etc) and bring it to the recycling center!

CUSTOM MADE RECYCLE STICKERS






























- · Aesthetic range of floor matting suitable for indoor entrances to banks, offices, lobbies, shopping malls and restaurants
- . To keep washrooms and other areas clean & dry
- · Anti-slip function
- · Ability to scrape dirt and moistness from shoes



- An Everlasting Solution with Solution-dye yarn made with a nylon 6.6 fibre.
 Outstanding moisture absorption.
 Cutsend the beautiful file.
- Cut-end designed efficiently traps water, dust, soil and collect dirt & oil.









IMEC Forever Mat

Dust and Wet Control Mat

Code	Dimension (ft)	Colour
306-1032	3' x 2'	Black Red/Graphite/Light Grey
306-1035	3'x5'	Black Red/Graphite/Light Grey
306-1046	4'x6'	Black Red/Graphite/Light Grey
306-1048	4' x 8'	Black Red/Graphite/Light Grey
306-1412	4' x 12"	Black Red/Graphite/Light Grey



 A palette of 150 standard colours to create the most complex photo realistic & logo designs as well as rich & saturated solid shades.


 Colour Symphony™ HD to achieve greater clarity of design, finer text definition, shadowing, shading & 3D effects.











Super gripper cleats & smooth backing.
Offer an overall lighter weight construction & a more sustainable option for easier handling both in service & in the laundry.



IMEC HD Logo Mat

Custom Design Printing Mat

Code	Dimension (cm)	Colour	Code	Dimension (cm)	Colour
306-7035	85 x 150	Custom Colour	306-7048	115 x 240	Custom Colour & Design
306-7038	85×240	Custom Colour	306-7410	115 x 300	Custom Colour & Design
306-7310	85 x 300	Custom Colour	306-7412	115 x 360	Custom Colour & Design
306-7046	115 × 180	Custom Colour	306-7510	150 x 300	Custom Colour & Design

- · Suitable for indoor entrances and walkways in any facilities
- Deep-ribbed surface scrapes off dirt and absorb moisture for superior floor protection

Slip resistant backing and edging



IMEC Lonharst Mat

Absorbent Mat

Code 306-4060-S 2' X 3' 306-4060 Std width 3' /4' *custom size available

Dimension (ft)

Blue/Brown/Charcoal/Green/Grey/Red Blue/Brown/Charcoal/Green/Grey/Red

Suitable for washroom, kitchen and any wet areas

Modular interlocking anti-slip mat sultable for any size areas
 Prevent silos and falls with its special design mat which allows maximum drainage of liquids to keep surface clean and dry
 Easy to clean and maintain



IMEC Washroom Mat

Anti-Slip Washroom Mat

Code Dimension (inch) 306-4208-R/G/B 8"×8"

Colour Red/Blue/Grey



ashtray



- Stronger
- Nitrie is 3 times stronger than PVC.
 Quick Drying
 Molded studded pattern promotes air circulation.
- · Anti-Slip ble textured surface helps to prevent slipping. Anti-Fatigue

nt-ratigue. -Cushioned construction helps to reduce foot, ankle, leg and back fatigue in areas where employees or visitors stand for long periods of time.

 Anti-Microbial

 Patented rupber formulation which makes the mat

 solvent & grease resistant, while preventing the growth of microorganisms & bacterias.



IMEC Ultrasan

Anti-Slip, Anti-Fatigue & Antimicrobial Mat

Code Dimension (ft) Colour 306-2035 Black 3'x5

IMEC Ultraflow

ndoor outdoor fire resistance

Anti-Slip, Anti-Fatigue & Antimicrobial Mat

Code 306-3035 Dimension (ft) 3'x5

Colour Black



IMEC SM35R

Safewalk Light Standard Mat.

Dimension (ft) Colour 306-5035-BLK 3' x 5' Black



Optional: Add wording Unbacked matting allows dirts and moisture to flow through for easy cleaning

IMEC Normal Hygiene Mat

Dust Control Mat

Code 306-4140 Dimension (ft.) Std Width 4' *custom size available

Black, Blue, Brown, Green, Grey, Red

IMEC Heavy Duty Hygiene Mat

Dust Control Mat

Code Dimension 306-4150 Std Width 4'

*custom size available

Black, Blue, Brown, Green, Grey, Red



"U" Shape Stackable Black Steel Queue Stand Retracting Belt 2 Meter

Dimension (cm) Colour 308-0732-BLK/R 5 (Pole Dia.) x 35 (Base Dia.) x 88 (H) Black/Red

Printing Code 5 Logo, 1 Side 308-0799-1 308-0799-2 5 Logo, 2 Side



IMEC UQS 202

"U" Shape Stackable S/Steel Queue Stand Retracting Belt 2 Meter

Code Dimension (cm) Colour 308-0722-R/B 5 (Pole Dia.) x 35 (Base Dia.) x 88 (H) Blue/Red

Code Printing 308-0799-1 5 Logo, 1 Side 308-0799-2 5 Logo, 2 Side



IMEC SR 101

Self Retracting Belt Queue Stand

Code Dimension (cm) Colour 303-0710-B/R 7 (Pole Dia.) x 30 (Base Dia.) x 88 (H)



IMEC Wall Mounted

3 Meter Belt

Colour Code Dimension (cm) Blue/Red 308-0794 Barrier - 7 (Dia) x 12.5 (H) Red Base Plate - 11.3 (L) x 10.5 (H) Beit - 3 Meter (L) x 4.5 (H)



IMEC A4 Frame

A4 Frame for Queue Stand

Code Dimension (cm) Suitable For @308-0733V-A4 21 (W) x 29.7 (H) UQB 302 @308-0733H-A4 29.7 (W) x 21 (H) UQB 302 @308-0722V-A4 21 (W) x 29.7 (H) UQS 202 @308-0722H-A4 29.7 (W) x 21 (H) UQS 202 @308-0711V-A4 21 (W) x 29.7 (H) SRQ 101 @308-0711H-A4 29.7 (W) x 21 (H) SRQ 101



IMEC SVQ 100

Queue Stand

Code Dimension (cm) 308-0690 5 (Pole Dia.) x 30.5 (Base Dia.) ×90.5 (H)



IMEC SVQ 102

Queue Stand

Code Dimension (cm) 308-0700 5 (Pole Dia.) x 30.5 (Base Dia.) ×90.5 (H)



IMEC Velvet Rope

Velvet Rope for Queue Stand

Code Dimension (ft) Colour 308-0701-B/R Blue/Red 308-0702-B/R Blue/Red

- · Comes with pictogram for effective communication
- · Wordings in red for extra caution
- · Optional features include lock-in sign holder
- · Folding design which ensures convenient storage and transport











4 Languages : (Malay/English/Chinese/Tamil) display in 1 Floor Sign for ease to read & understand the warning shown



Create Better Barrier: Can hook a chain between 2 floor signs to create a barrier surrounding the affected area and closure of an area

IMEC Floor Sign

Model OAS33L @AS33P

Code 308-0640 308-0641

Wording

Wet Floor / Awas Lantai Licin

Cleaning in Progress / Awas Pembersihan Sedang Dijalankan

Height (inch)

35 33'











IMEC Floor Sign

Wording

Floor Signage

Code

@308-0626 Cleaning in Progress / Pembersihan Sedang Dijalankan @308-0627 Caution Wet Floor / Awas Lantai Licin

Height (inch)

25"

25" @ 308-0643

@ 308-0642

Code

Wording

Caution Wet Floor / Awas Lantai Licin Cleaning in Progress / Pembersihan Sedang Dijalankan

IMEC Floor Sign

Height (inch) 24"

24"

308-0630 31.5 (L) x 31.5 (W) x 91 (H)

IMEC F16

Chain Portable Fence

Code

Dimension (cm)

Extended Length 3.9 meter















IMECSC91

Safety Cone Signage

Code	Wording
0308-0633	Caution / Awas
Ø308-0633-1	Lantai Licin / Wet Floor
@308-0633-2	Cleaning in Progress / Pembersihan Sedang Dijalankan
@308-0633-3	Beware of Falling Object / Awas Terhadap Objek Yang Jatuh
\$308-0633-4	No Parking / Dilarang Meletak Kenderaan

Dimension (cm)

31.5 (L) x 31.5 (W) x 89 (H) 26 (L) x 29.5 (H) x 0.5 (T) 26 (L) x 29.5 (H) x 0.5 (T) 26 (L) x 29.5 (H) x 0.5 (T) 26 (L) x 29.5 (H) x 0.5 (T)



Scrub and Sweep in One Pass

IMEC FIMAP MG85






Compact & Powerful Windblower with timer

IMEC PRO-T

Battery Operated Carpet Keeper







IMEC GROUP OF COMPANIES IMEC HYGIENE SDN. BHD. (514056-P) IMEC HYGIENE MANUFACTURING SDN. BHD. (537678-T) IMEC PRODUCTS SDN. BHD. (518611-P) IMEC SHANGHAI CO., LTD

Distributed by:





+603 8734 9055



inquiry@imec.com.my



www.imec.com.my

